

移动查房车

MEDICAL MOBILE CART



E-WT-48061A1
480*520*900-938/1138mm




台面
ABS注塑模具一次性成型面护栏高度38mm
耐擦、易清洁、前置M型把手，便于推行



显示器支架
铝合金材质；五轴显示之间可实现左倾右倾
上倾下倾，0-360度平面旋转 建议配置<22英
寸显示器，建议承重<10kg



键盘鼠标托盘
键盘平台，左右伸缩式鼠标托板
(适用于左/右手操作习惯)



※可选配置：主机、显示器、键盘、鼠标等另行计价
Optional Accessories: pc Host, monitor, key Board, mouse, optional Accessory Will Be Extra Charged.

移动查房车

MEDICAL MOBILE CART



型号 Model	规格 Specification
E-WT-48061A1-Z	480*520*900-938/1138mm



型号 Model	规格 Specification
E-WT-48061A1B	480*520*900-938/1138mm



型号 Model	规格 Specification
E-WT-48061A17	480*520*900-938/1138mm



型号 Model	规格 Specification
E-WT-48061A11	480*520*900-938/1138mm

※可选配置：主机、显示器、键盘、鼠标等另行计价
Optional Accessories: pc Host, monitor, key Board, mouse, optional Accessory Will Be Extra Charged.

手术视频采集系统 Surgical video acquisition system



◀ E-WT-48061A28
480*520*900-938/1138mm

底盘
四脚铝合金模具一次成型，控制台面升降
的大脚板踏踏方便

腔镜挂盒
三个规格腔镜挂盒直径分别为：9mm/20mm/27mm

中置二层储物抽屉
抽面高度100mm内空：230*165*85mm

移动查房车 MEDICAL MOBILIZATION TROLLEY



型号Model	规格Specification
E-WT-48061A5	480*520*900-938/1138mm



型号Model	规格Specification
E-WT-48061A12	480*520*900-938/1138mm



型号Model	规格Specification
E-WT-48061A13	480*520*900-938/1138mm



型号Model	规格Specification
E-WT-48061A10	480*520*900-938/1138mm

移动查房车

MEDICAL MOBILIZATION TROLLEY



台面
ABS注塑模具一次性成型台面护栏高度38mm
耐磨、易清洁，前置M型把手，便于推行



键盘鼠标托盘
键盘平台，左右伸缩式鼠标托板
(适用于左/右手操作习惯)



笔记本锁
铝合金材质；密度小，锁身轻便便携；
安全性高



中抽屉
键盘平台下方配一中抽屉100mm
三折静音导轨，内空：383*330*55mm



底盘
四脚铝合金模具一次成型，双层设计上部
ABS，控制台面升降的大脚踏板踩感方便



中置二层储物抽屉
抽屉高度100mm内空：230*165*85mm

移动查房车

MEDICAL MOBILIZATION TROLLEY



型号Model	规格Specification
E-WT-48061A7	480*520*900-938/1138mm



型号Model	规格Specification
E-WT-48061A7-Z	480*520*900-938/1138mm



型号Model	规格Specification
E-WT-48061A8	480*520*900-938/1138mm



型号Model	规格Specification
E-WT-48061A3	480*520*900-938/1138mm

移动查房车

MEDICAL WORKSTATION TROLLEY

- 台面为ABS工程塑料整体成型
- 台面可升降
- 可选配打印机托盘
- 一体机电脑/笔记本款式
- 蝴蝶型底座 双面轻声轮

- Tabletop is made of ABS material by injection molding techniques;
- one ABS Drawers
- The double column is made of high-strength aluminum alloy spray material;
- The number of intermediate boards is optional.
- Bottom four corners anti-collision design, double-sided mute wheels.



IT-48063C1
480*480*860/1020mm



IT-48063C2
480*480*860/1020mm



IT-48063C3
480*480*860/1020mm

移动查房车

MEDICAL WORKSTATION TROLLEY

- 笔记本防盗锁可选。
- Laptop anti-theft lock optional.



IT-48063C5
480*480*860/1020mm



IT-48063C6
480*480*860/1020mm



IT-48063C7
480*480*860/1020mm



IT-48063C8
480*480*860/1020mm

无线移动护理车

E-NT-151 Building 100-151

- 台面为ABS工程塑料整体成型。
- 可放置电脑鼠标和键盘；
- 主机内置，低功耗，直流型电源。
- 12v-18.5v锂电池续航时间长确保使用安全
- 同时电源上置，便于安全使用和管理；
- 显示器挂架：建议配置≤22英寸显示器，建议承重≤10Kg。

- Tabletop is made of ABS material by injection molding techniques;
- With space for mouse, keyboard;
- Built-in host computer, low power loss, stabilized D.C source;
- Lithium battery: 12V-18.5V, long battery life and safe.
- It's safe use and manage to fix the battery upside.
- Display holder applied for <22" display proposal load <10kgs.



◀ E-NT-5206158
520*510*950mm



◀ E-NT-5206156
520*510*950mm



◀ E-NT-5206157
520*510*950mm



◀ E-NT-5206155
520*510*950mm



◀ E-NT-5206153
520*510*950mm



◀ E-NT-5206152
520*510*950mm



◀ E-NT-5206151
520*510*950mm

无线移动护理车

WIRELESS NURSING TROLLEY



ET-65032J-ZS
650*480*950/1030mm

ET-65032J-ZS
650*480*950/1030mm



型号 Model 规格 Specification
E-NT-78023D5 780*475*1000mm



型号 Model 规格 Specification
E-NT-78023D6 780*475*1000mm



型号 Model 规格 Specification
E-NT-78023D7 780*475*1000mm



型号 Model 规格 Specification
E-NT-78023D8 780*475*1000mm



型号 Model 规格 Specification
E-NT-62618A1 626*475*950mm
E-NT-65018A1 650*480*950mm



型号 Model 规格 Specification
E-NT-62618A-LB 626*475*950mm
E-NT-65018A-LB 650*480*950mm

※可选配置：主机、显示器、键盘、鼠标等另行计价
Optional Accessories:pc Host,monitor,key Board,mouse,optional Accessory Will Be Extra Charged.



型号 Model 规格 Specification
E-NT-62332A-Z 623*475*950mm
E-NT-69032A-Z 690*482*950mm



型号 Model 规格 Specification
E-NT-62332A-SG 623*475*950mm
E-NT-69032A-SG 690*482*950mm



型号 Model 规格 Specification
E-NT-62332A-SG 623*475*950mm
E-NT-69032A-SG 690*482*950mm



型号 Model 规格 Specification
E-NT-62828A-LB 628*475*950mm
E-NT-65028A-LB 650*480*950mm



型号 Model 规格 Specification
E-NT-62828A-SG 628*475*950mm
E-NT-65028A-SG 650*480*950mm



型号 Model 规格 Specification
E-NT-62828A 628*475*950mm
E-NT-65028A 650*480*950mm



型号 Model 规格 Specification
E-NT-76076A-OG 760*475*950mm
E-NT-85076A-OG 850*520*950mm



型号 Model 规格 Specification
E-NT-76076A-LB 760*475*950mm
E-NT-85076A-LB 850*520*950mm



型号 Model 规格 Specification
E-NT-76076A-PK 760*475*950mm
E-NT-85076A-PK 850*520*950mm

※尺寸数据仅供参考,请以实物为准 (误差值为±3.50mm)

※可选配置：主机、显示器、键盘、鼠标等另行计价
Optional Accessories:pc Host,monitor,key Board,mouse,optional Accessory Will Be Extra Charged.

无线移动护理车



型号 Model	规格 Specification
E-NT-65026 1A-LB	650*480*950mm



型号 Model	规格 Specification
E-NT-65026 1A-LB	650*480*950mm



型号 Model	规格 Specification
E-NT-65032A-SG	650*480*950/1030mm



型号 Model	规格 Specification
IT-54062C8	540*480*890mm



型号 Model	规格 Specification
IT-54062C8-1	540*480*890mm



型号 Model	规格 Specification
E-NT-69025A-B5	690*482*950mm
E-NT-62325A-B5	623*475*950mm



型号 Model	规格 Specification
E-NT-75077A-BU	750*475*950mm
E-NT-85077A-LB	850*520*950mm



型号 Model	规格 Specification
E-NT-75077A-GN	750*475*950mm
E-NT-85077A-GN	850*520*950mm



型号 Model	规格 Specification
E-NT-75077A-CS	750*475*950mm
E-NT-85077A-CS	850*520*950mm



型号 Model	规格 Specification
IT-54062C10	540*480*890mm



型号 Model	规格 Specification
E-NT-52061A-5	520*510*950mm



型号 Model	规格 Specification
E-NT-71066J	710*480*950mm



型号 Model	规格 Specification
E-NT-65026 1A1B	650*480*950mm



型号 Model	规格 Specification
E-NT-65026 1A1ZB	650*480*950mm



型号 Model	规格 Specification
E-NT-62626A-B5	626*475*950mm
E-NT-65026A-B5	650*480*950mm



型号 Model	规格 Specification
E-NT-62332A-SG	623*475*950mm
E-NT-68032A-SG	680*482*950mm



型号 Model	规格 Specification
E-NT-76076A-LB	760*475*950mm
E-NT-85076A-LB	850*520*950mm



型号 Model	规格 Specification
E-NT-62618A-LB	626*475*950mm
E-NT-65018A-LB	650*480*950mm

※可选配置：主机、显示器、键盘、鼠标等另行计价
Optional Accessories:pc Host,monitor,keyboard,mouse,optional Accessory Will Be Extra Charged.

※尺寸数据仅供参考需要以实物为准（误差值为±50mm）

※可选配置：主机、显示器、键盘、鼠标等另行计价
Optional Accessories:pc Host,monitor,keyboard,mouse,optional Accessory Will Be Extra Charged.

仪器车/内窥镜推车

- 主体材质采用铝·冷钢喷漆·ABS结构组成。
- 中间隔板可根据使用情况,可自由调节每层高度和层数。
- 显示器支架可选。
- 底座和层板配有护套,防止车体移动时物品滑落和车体碰撞。
- 标配含四孔电源插线板,后部配有带散热孔的金属背板,达到后部封闭的效果适用于内窥镜设备,手术室设备,电脑及专用设备。
- Main material is made of aluminum, cold steel spraying, ABS structure.
- The partition board can be freely adjusted according to the situation of use, and the height of each layer and the number of layers can be adjusted.
- Display stand is optional.
- The base and layer plates are equipped with sleeves to prevent items from slipping off and the car body from colliding when the car body moves.
- Standard equipment includes a four-hole power strip, with a metal back plate with heat dissipation holes at the back, achieving a closed effect at the back. Suitable endoscopy equipment, operating room equipment, computers, and special equipment.



仪器车

INSTRUMENT TROLLEY

- 360度旋转大屏幕显示支架可悬挂显示器, 上仰+90°, 下俯45°, 标配承重≤10Kg可选最大承重15Kg.
- 一体机电脑/笔记本款式.
- 四孔电插板可根据国家不同选择.
- 两侧前方扶手设计.
- 四边ABS防撞四角圆角设计; 四只4寸豪华万向插入式双面静音轮, 其中两只带刹车功能.

- 360-degree rotating large screen display bracket can hang the monitor, up 90°, down 45°, standard bearing capacity ≤ 10Kg optional maximum bearing capacity 15Kg.
- All-in-one computer/laptop style.
- Four-hole power sockets can be selected according to different countries
- Handrail design in front of both sides
- Four-sided ABS anti-collision four-corner rounded design; four 4-inch deluxe universal insert-type double-sided silent wheels, two which have a braking function.



IT-70063C2
630/700*540/690*880mm



IT-70063C3
630/700*540/690*880mm



IT-70063C5
630/700*540/690*880mm



IT-70063C1
630/700*540/690*880mm



IT-48063C1
480*520*920mm



IT-48063C3
480*520*920mm



IT-48063C5
480*520*1120mm




IT-48063C2
480*520*920mm

- 台面为ABS工程塑料整体成型.
- ABS抽屉.
- 双立柱设计.
- 中间层板数量可选.
- 底部四角防撞设计, 双面静音轮.

- Tabletop is made of ABS material by injection molding techniques;
- ABS Drawers;
- Double column design;
- The number of intermediate boards is optional.
- Bottom four corners anti-collision design, double-sided mute wheels.

仪器车
INSTRUMENT TROLLEY



型号 Model IT-54062C8 规格 Specification 540*480*890mm



型号 Model IT-54062C7 规格 Specification 540*480*890mm



型号 Model IT-54062C7-1 规格 Specification 540*480*890mm



型号 Model IT-48062B1 规格 Specification 480*480*770/950mm



型号 Model IT-48062B2 规格 Specification 480*480*770/950mm



型号 Model IT-48062B3 规格 Specification 480*480*770/950mm



型号 Model IT-48063C13 规格 Specification 410*480*860/1020mm



型号 Model IT-48063C18 规格 Specification 480*480*860/1020mm



型号 Model IT-48063C17 规格 Specification 480*480*860/1020mm



型号 Model IT-48062B6 规格 Specification 480*480*610/800mm



型号 Model IT-48062B7 规格 Specification 480*480*610/800mm



型号 Model IT-48062B8 规格 Specification 480*480*610/800mm


26-1系列

TYPE 26-1 SERIES

脚踏垃圾桶
Dust Basket with Foot Pedal翻盖垃圾桶
Swing Top Waste Bin

垃圾桶可选。
Optional trash can

▲ET-65026.1A5-HS
650*480*950mm



可适配上下调节功能。
Optional up and down adjustment.

抽屉可选配内置透明ABS组合模块化盒子
Optional transparent ABS combination modular boxes built into the drawer

锁具可选
Optional lock

26-1系列

TYPE 26-1 SERIES



电子密码锁
Digital password lock

▲ET-65026.1A5-HS
650*480*950mm

可选颜色种类
Optional color variety



型号 Model 规格 Specification
ET-65026.1A-L5 650*480*950mm

型号 Model 规格 Specification
AT-65026.1A-L5 650*480*950mm

型号 Model 规格 Specification
NT-65026.1A-L5 650*480*950mm

26-1系列
TYPE 26-1 SERIES

▲ MT-65026.1A6-LS1
650*480*950mm



- ★ 1—4层抽屉内置48格药盘 药盘可取出。
- ★ 1-4 drawers with 48-compartment medicine tray built-in; medicine tray can be removed.



- 5—6层抽屉内置3*3隔板 自由组合。
- 5-6 drawers with built-in 3*3 dividers free combination.



型号 Model	规格 Specification
MT-65026.1A-LS	650*480*950mm

型号 Model	规格 Specification
MT-65026.1A6-LS	650*480*950mm

型号 Model	规格 Specification
MT-65026.1A6-LS	650*480*950mm

26-1系列
TYPE 26-1 SERIES

▲ ITT-65026.1C5-LS
650*480*930mm



▲ ITT-65026.1C8-LS
650*480*930mm



配置细节
Configuration details



型号 Model	规格 Specification
CT-65026.1C5-LS	650*480*930mm

型号 Model	规格 Specification
CT-65026.1C8-LS	650*480*930mm

型号 Model	规格 Specification
CT-65026.1C3-LS	650*480*930mm

56系列

TYPE 56 SERIES



折叠式工作台
Folding workbench.



第三层为伸缩书写工作台
Third layer telescopic writing desk.



AT-61056S3
610*410*970mm

配置细节
Configuration details



型号 Model	规格 Specification
AT-115056S	1070*410*925mm



型号 Model	规格 Specification
AT-115056S-SL	1070*410*925mm



型号 Model	规格 Specification
AT-115056S2-QL	1070*410*925mm



- 5—6层抽屉内置3*3隔板 自由组合.
- 5-6 drawers with built-in 3*3 dividers free combination.



MT-61056S
610*410*930mm



- ★ 1—4层抽屉内置48格药盘 药盘可取出.
- ★ 1-4 drawers with 48-compartment medicine tray built-in; medicine tray can be removed.



型号 Model	规格 Specification
AT-61056S6	610*410*930mm



型号 Model	规格 Specification
AT-61056S3	610*410*930mm



型号 Model	规格 Specification
AT-61056S-SL	610*410*930mm

56系列

TYPE 56 SERIES



型号 Model	规格 Specification
CT-71056S5-QL	710*450*860mm



型号 Model	规格 Specification
CT-62056S-QL	620*420*900mm



型号 Model	规格 Specification
CT-62056S1	620*420*900mm



型号 Model	规格 Specification
CT-61056S-QL	610*410*860mm
CT-71056S-QL	710*450*880mm



型号 Model	规格 Specification
CT-61056S-SL	610*410*860mm
CT-71056S-SL	710*450*880mm



型号 Model	规格 Specification
CT-61056S-SLL	610*410*860mm
CT-71056S-SLL	710*450*880mm



型号 Model	规格 Specification
CT-61056S2-QL	610*410*860mm



型号 Model	规格 Specification
CT-61056S6-1	610*410*860mm
CT-71056S6-1	710*450*880mm



型号 Model	规格 Specification
CT-61056S6	610*410*860mm
CT-71056S6	710*450*880mm



型号 Model	规格 Specification
CT-61056S3-QL1	610*410*860mm




型号 Model	规格 Specification
CT-61056S3-QL2	610*410*860mm




型号 Model	规格 Specification
CT-61056S3-QL	610*410*860mm

彩车系列
color steel series



型号 Model	规格 Specification
ET-65032J8-L8	650*480*950/1030mm

车体象牙白 + 抽屉是灰色



彩车系列
color steel series



车体象牙白 + 抽屉是红色



彩车系列
Color steel series

车体象牙白 + 抽屉架绿色




型号 Model
AT-66532J-SG 规格 Specification
665*480*1020mm



型号 Model
NT-66532J-SG 规格 Specification
665*480*1020mm



型号 Model
NT-66532J-TL 规格 Specification
665*480*1020mm

彩车系列
Color steel series

型号 Model
NT-66532J-TL 规格 Specification
665*480*1020mm



型号 Model
ITT-66532J-PK 规格 Specification
665*480*1020mm

彩车系列
Color steel trolley

车体象牙白 + 抽屉果绿色

型号Model	规格Specification
MT-65032J5-B5	650*480*950/1030mm



- ★ 1~4层抽屉可选配内置48格药盘 药盘可取出。
- ★ 1-4 drawers with 48-compartment medicine tray built-in; medicine tray can be removed.



车体象牙白 + 抽屉果绿色

型号Model	规格Specification
MT-65032J5-SG	650*480*950/1030mm

抽面颜色可选。
The color of the surface can be selected.



车体象牙白 + 抽屉象牙白

型号Model	规格Specification
MT-65032J4-B5	650*480*950/1030mm



车体象牙白 + 抽屉果绿色

型号Model	规格Specification
MT-65032J3-SG	650*480*950/1030mm



车体象牙白 + 抽屉果绿色

型号Model	规格Specification
MT-65032J4-SG	650*480*950/1030mm

彩车系列
Color steel trolley

车体象牙白 + 抽屉果绿色

型号Model	规格Specification
CT-69032J1-SG	690*450*840/970mm



车体象牙白 + 抽屉果绿色

型号Model	规格Specification
CT-69032J2-SG	690*450*840/970mm



车体象牙白 + 抽屉果绿色

型号Model	规格Specification
CT-69032J1-SG	690*450*840/970mm



车体象牙白 + 抽屉象牙白



车体象牙白 + 抽屉果绿色




车体象牙白 + 抽屉果空蓝



车体象牙白 + 抽屉果绿色

型号Model	规格Specification
CT-50032J3-SG	500*400*710/840mm

25 系列
TYPE 25 SERIES

型号 Model	规格 Specification
ET-62325A-HS	623*475*950mm
ET-69025A-HS	690*482*950mm



型号 Model	规格 Specification
ET-62325A5-HS	623*475*950mm
ET-69025A5-HS	690*482*950mm

型号 Model	规格 Specification
ET-62325A8-HS	623*475*950mm
ET-69025A8-HS	690*482*950mm



型号 Model	规格 Specification
ET-62325A7-CS	623*475*950mm
ET-69025A7-CS	690*482*950mm

5 抽屉多规格高度可选装
5 drawer multiple sizes height optional storage

A 抽屉高度:		B 抽屉高度:		C 抽屉高度:		D 抽屉高度:	
H80mm	2	H120mm	4	H80mm	3	H80mm	1
H120mm	2	H160mm	1	H160mm	1	H120mm	3
H240mm	1			H240mm	1	H200mm	1

25 系列
TYPE 25 SERIES

型号 Model	规格 Specification
AT-62325A2	623*475*950mm
AT-69025A2	690*482*950mm



型号 Model	规格 Specification
AT-62325A-BS	623*475*950mm
AT-69025A-BS	690*482*950mm



型号 Model	规格 Specification
AT-62325E-SG	623*475*950mm
AT-69025E-SG	690*482*950mm



型号 Model	规格 Specification
AT-62325A-GN1	623*475*950mm
AT-69025A-GN1	690*482*950mm



※ 尺寸数据仅供参考需要以实物为准 (测量值为±50mm)

25系列
TYPE 25 SERIES

型号 Model	规格 Specification
ITT-62325C8-GN	623*475*930mm
ITT-69025C8-GN	690*482*930mm



型号 Model	规格 Specification
ITT-62325C5	623*475*930mm
ITT-69025C5	690*482*930mm



型号 Model	规格 Specification
ITT-62325C5-BB	623*475*930mm
ITT-69025C5-BB	690*482*930mm



型号 Model	规格 Specification
ITT-62325C8	623*475*930mm
ITT-69025C8	690*482*930mm



型号 Model	规格 Specification
CT-62325C5-GN	623*475*930mm
CT-69025C5-GN	690*482*930mm



型号 Model	规格 Specification
CT-62325C5	623*475*930mm
CT-69025C5	690*482*930mm



型号 Model	规格 Specification
CT-62325C2	623*475*930mm
CT-69025C2	690*482*930mm



型号 Model	规格 Specification
CT-62325C8-GN	623*475*930mm
CT-69025C8-GN	690*482*930mm



型号 Model	规格 Specification
CT-62325C8	623*475*930mm
CT-69025C8	690*482*930mm



型号 Model	规格 Specification
CT-62325C8-BB	623*475*930mm
CT-69025C8-BB	690*482*930mm



型号 Model	规格 Specification
MT-62325A	623*475*950mm
MT-69025A	690*482*950mm




型号 Model	规格 Specification
MT-62325A-GN	623*475*950mm
MT-69025A-GN	690*482*950mm




型号 Model	规格 Specification
MT-62325A-BB	623*475*950mm
MT-69025A-BB	690*482*950mm

25.1系列 TYPE 25.1 SERIES



※ 尺寸数据仅供参考需要以实物为准 (误差值为±50mm)

25.1系列 TYPE 25.1 SERIES



※ 尺寸数据仅供参考需要以实物为准 (误差值为±50mm)

26系列
TYPE 26 SERIES

型号 Model	规格 Specification
ET-62826A	628*475*950mm
ET-65026A	650*480*950mm



型号 Model	规格 Specification
ET-62826A-CN	628*475*950mm
ET-65026A-CN	650*480*950mm

型号 Model	规格 Specification
ET-62826A-LS	628*475*950mm
ET-65026A-LS	650*480*950mm



型号 Model	规格 Specification
ET-62826A7-RD	628*475*950mm
ET-65026A7-RD	650*480*950mm

5抽屉多规格高度可选装
5 drawer multiple sizes height optional storage

A 抽屉高度:		B 抽屉高度:		C 抽屉高度:		D 抽屉高度:	
H80mm	2	H120mm	4	H80mm	3	H80mm	1
H120mm	2	H160mm	1	H160mm	1	H120mm	3
H240mm	1			H240mm	1	H200mm	1

26系列
TYPE 26 SERIES

透明快速取药盒
Transparent quick medicine box



脚踏垃圾桶可盛
Dust Basket with Foot Pedal

型号 Model	规格 Specification
AT-62826A-LS	628*475*950mm
AT-65026A-LS	650*480*950mm



型号 Model	规格 Specification
AT-62826A1-GN	628*475*950mm
AT-65026A1-GN	650*480*950mm



型号 Model	规格 Specification
AT-62826A1-YL	628*475*950mm
AT-65026A1-YL	650*480*950mm



型号 Model	规格 Specification
AT-62826A-GN1	628*475*950mm
AT-65026A-GN1	650*480*950mm



26系列
TYPE 26 SERIES



型号 Model	规格 Specification
ITT-62826C8-LS	628*475*930mm
ITT-65026C8-LS	650*480*930mm



型号 Model	规格 Specification
ITT-62826C5-PK	628*475*930mm
ITT-65026C5-PK	650*480*930mm

型号 Model	规格 Specification
ITT-62826C5-GN	628*475*930mm
ITT-65026C5-GN	650*480*930mm

型号 Model	规格 Specification
ITT-62826C8-GN	628*475*930mm
ITT-65026C8-GN	650*480*930mm

26系列
TYPE 26 SERIES



型号 Model	规格 Specification
CT-62826C5-LS	628*475*930mm
CT-65026C5-LS	650*480*930mm



型号 Model	规格 Specification
CT-62826C5-YL	628*475*930mm
CT-65026C5-YL	650*480*930mm



型号 Model	规格 Specification
CT-62826C5-GN	628*475*930mm
CT-65026C5-GN	650*480*930mm



型号 Model	规格 Specification
CT-62826C8-LS	628*475*930mm
CT-65026C8-LS	650*480*930mm



型号 Model	规格 Specification
CT-62826C8-PK	628*475*930mm
CT-65026C8-PK	650*480*930mm



型号 Model	规格 Specification
CT-62826C5-GN	628*475*930mm
CT-65026C5-GN	650*480*930mm



型号 Model	规格 Specification
MT-62826A5-LS	628*475*950mm
MT-65026A5-LS	650*480*950mm



型号 Model	规格 Specification
MT-62826A5-YL	628*475*950mm
MT-65026A5-YL	650*480*950mm



型号 Model	规格 Specification
MT-62826A5-GN	628*475*950mm
MT-65026A5-YL	650*480*950mm

18系列
TYPE 18 SERIES

型号 Model	规格 Specification
ET-62618A	626*475*950mm
ET-65018A	650*480*950mm



型号 Model	规格 Specification
ET-62618A-LB	626*475*950mm
ET-65018A-LB	650*480*950mm

型号 Model	规格 Specification
ET-62618A-GN	626*475*950mm
ET-65018A-GN	650*480*950mm

5抽屉多规格高度可选装
5 drawer multiple sizes height optional storage

A 抽屉高度:		B 抽屉高度:		C 抽屉高度:		D 抽屉高度:	
H80mm	2	H120mm	4	H80mm	3	H80mm	1
H120mm	2	H160mm	1	H160mm	1	H120mm	3
H240mm	1			H240mm	1	H200mm	1



型号 Model	规格 Specification
ET-62618A7-RD	626*475*950mm
ET-65018A7-RD	650*480*950mm

18系列
TYPE 18 SERIES

透明快速取药盒
Transparent quick medicine box



脚踏垃圾桶可盛
Dust Basket with Foot Pedal

型号 Model	规格 Specification
AT-62618A-GN	626*475*950mm
AT-65018A-GN	650*480*950mm



型号 Model	规格 Specification
AT-62618A-LB	626*475*950mm
AT-65018A-LB	650*480*950mm



型号 Model	规格 Specification
ITT-62618A1-GN	626*475*950mm
ITT-65018A1-GN	650*480*950mm



型号 Model	规格 Specification
NT-62618A8-LB	626*475*950mm
NT-65018A8-LB	650*480*950mm



18系列
TYPE 18 SERIES

型号 Model	规格 Specification
ITT-62618C8-LT BU	626*475*930mm
ITT-65018C8-LT BU	650*480*930mm



型号 Model	规格 Specification
ITT-62618C5-LT BU	626*475*930mm
ITT-65018C5-LT BU	650*480*930mm



型号 Model	规格 Specification
ITT-62618C5-GN	626*475*930mm
ITT-65018C5-GN	650*480*930mm



型号 Model	规格 Specification
ITT-62618C8-GN	626*475*930mm
ITT-65018C8-GN	650*480*930mm

18系列
TYPE 18 SERIES

型号 Model	规格 Specification
CT-62618C5-BU	626*475*930mm
CT-65018C5-BU	650*480*930mm



型号 Model	规格 Specification
CT-62618C5-LT BU	626*475*930mm
CT-65018C5-LT BU	650*480*930mm



型号 Model	规格 Specification
CT-62618C5-GN	626*475*930mm
CT-65018C5-GN	650*480*930mm



型号 Model	规格 Specification
CT-62618C8-BU	626*475*930mm
CT-65018C8-BU	650*480*930mm



型号 Model	规格 Specification
CT-62618C8-LT BU	626*475*930mm
CT-65018C8-LT BU	650*480*930mm



型号 Model	规格 Specification
CT-62618C8-GN	626*475*930mm
CT-65018C8-GN	650*480*930mm



型号 Model	规格 Specification
MT-62618A-LT BU	626*475*950mm
MT-65018A-LT BU	650*480*950mm



型号 Model	规格 Specification
MT-62618A-GN	626*475*950mm
MT-65018A-GN	650*480*950mm



型号 Model	规格 Specification
MT-62618A-GN	626*475*950mm
MT-65018A-GN	650*480*950mm

76系列

TYPE 76 SERIES



型号 Model	规格 Specification
ET-76076A	760*475*950mm
ET-85076A	850*520*950mm



型号 Model	规格 Specification
ET-76076A-OR	760*475*950mm
ET-85076A-OR	850*520*950mm

型号 Model	规格 Specification
ET-76076A-OR	760*475*950mm
ET-85076A-OR	850*520*950mm

型号 Model	规格 Specification
ET-76076A-LT BU	760*475*950mm
ET-85076A-LT BU	850*520*950mm



型号 Model	规格 Specification
ET-76076A-GN	760*475*950mm
ET-85076A-GN	850*520*950mm


型号 Model	规格 Specification
ET-76076A-GN	760*475*950mm
ET-85076A-GN	850*520*950mm

型号 Model	规格 Specification
ET-76076A-PK	760*475*950mm
ET-85076A-PK	850*520*950mm

※ 尺寸数据仅供参考需要以实物为准 (误差值为±50mm)

76系列

TYPE 76 SERIES



透明快速取药盒
Transparent quick medicine box



脚踏拉圾桶可选
Dust Basket with Foot Pedal

型号 Model	规格 Specification
AT-76076A-LT BU	760*475*950mm
AT-85076A-LT BU	850*520*950mm



型号 Model	规格 Specification
NT-76076A-BU	760*475*950mm
AT-85076A-BU	850*520*950mm

型号 Model	规格 Specification
AT-76076A-GN	760*475*950mm
AT-85076A-GN	850*520*950mm



型号 Model	规格 Specification
NT-76076A-LT BU	760*475*950mm
NT-85076A-LT BU	850*520*950mm

※ 尺寸数据仅供参考需要以实物为准 (误差值为±50mm)

76系列
TYPE 76 SERIES

型号 Model	规格 Specification
ITT-76076C8-LT BU	760*475*930mm
ITT-85076C8-LT BU	850*520*930mm



型号 Model	规格 Specification
ITT-76076C5-LT BU	760*475*930mm
ITT-85076C5-LT BU	850*520*930mm



型号 Model	规格 Specification
ITT-76076C5-BU	760*475*930mm
ITT-85076C5-BU	850*520*930mm



型号 Model	规格 Specification
ITT-76076C8-BU	760*475*930mm
ITT-85076C8-BU	850*520*930mm



型号 Model	规格 Specification
CT-76076C1-LT BU	760*475*930mm
CT-85076C1-LT BU	850*520*930mm



型号 Model	规格 Specification
CT-76076C3-LT BU	760*475*930mm
CT-85076C3-LT BU	850*520*930mm



型号 Model	规格 Specification
CT-76076C5-LT BU	760*475*930mm
CT-85076C5-LT BU	850*520*930mm



型号 Model	规格 Specification
CT-76076C5-PK	760*475*930mm
CT-85076C5-PK	850*520*930mm



型号 Model	规格 Specification
CT-76076C5-BU	760*475*930mm
CT-85076C5-BU	850*520*930mm



型号 Model	规格 Specification
CT-76076C8-LT BU	760*475*930mm
CT-85076C8-LT BU	850*520*930mm



型号 Model	规格 Specification
MT-76076A-CN	760*475*950mm
MT-85076A-CN	850*520*950mm



型号 Model	规格 Specification
MT-76076A-LT BU	760*475*950mm
MT-85076A-LT BU	850*520*950mm



型号 Model	规格 Specification
MT-76076A-LT BU	760*475*950mm
MT-85076A-LT BU	850*520*950mm

76系列
TYPE 76 SERIES

32系列
TYPE 32 SERIES

型号 Model	规格 Specification
ET-62332A7	623*475*950mm
ET-69032A7	690*482*950mm



型号 Model	规格 Specification
ET-62332A-SG	623*475*950mm
ET-69032A-SG	690*482*950mm

型号 Model	规格 Specification
ET-62332A	623*475*950mm
ET-69032A	690*482*950mm

5抽屉多规格高度可选装
5 drawer multiple sizes height optional storage

A 抽屉高度:		B 抽屉高度:		C 抽屉高度:		D 抽屉高度:	
H80mm	2	H120mm	4	H80mm	3	H80mm	1
H120mm	2	H160mm	1	H160mm	1	H120mm	3
H240mm	1			H240mm	1	H200mm	1

型号 Model	规格 Specification
ET-62332A8	623*475*950mm
ET-69032A8	690*482*950mm

※ 尺寸数据仅供参考需要以实物为准 (误差值为±50mm)

32系列
TYPE 32 SERIES

透明快速取药盒
Transparent quick medicine box



脚踏垃圾桶可选
Dust Basket with Foot Pedal

型号 Model	规格 Specification
AT-62332A-SG	623*475*950mm
AT-69032A-SG	690*482*950mm



型号 Model	规格 Specification
ITT-62332A-SG	623*475*950mm
ITT-69032A-SG	690*482*950mm




型号 Model	规格 Specification
AT-62332A1-SG	623*475*950mm
AT-69032A1-SG	690*482*950mm



型号 Model	规格 Specification
NT-62332A8-SG	623*475*950mm
NT-69032A8-SG	690*482*950mm

※ 尺寸数据仅供参考需要以实物为准 (误差值为±50mm)

32 系列
TYPE 32 SERIES32 系列
TYPE 32 SERIES

01系列
TYPE 01 SERIES

型号 Model	规格 Specification
ET-75001A/B	750*475*950mm
ET-85001A/B	850*520*950mm

可选配置
Optional Configuration脚踏位垃圾桶
Dust Basket with Foot Pedal摇晃位垃圾桶
Swing Top Waste Bin

型号 Model	规格 Specification
ET-75001A/B6	750*475*950mm
ET-85001A/B6	850*520*950mm



型号 Model	规格 Specification
ET-75001A7/B6	750*475*950mm
ET-85001A7/B6	850*520*950mm



型号 Model	规格 Specification
ET-75001A5/B5	750*475*950mm
ET-85001A5/B5	850*520*950mm



型号 Model	规格 Specification
ET-75001F/E	750*475*950mm
ET-85001F/E	850*520*950mm



型号 Model	规格 Specification
AT-76001A2/B2	750*475*950mm
AT-86001A2/B2	850*520*950mm



型号 Model	规格 Specification
AT-75001F1/E1	750*475*950mm
AT-85001F1/E1	850*520*950mm



型号 Model	规格 Specification
AT-75001A/B	750*475*950mm
AT-85001A/B	850*520*950mm



型号 Model	规格 Specification
AT-76001F2/B2	750*475*950mm
AT-86001F2/B2	850*520*950mm



型号 Model	规格 Specification
NT-75001A/B	750*475*950mm
NT-85001A/B	850*520*950mm



型号 Model	规格 Specification
AT-75001F/E	750*475*950mm
AT-85001F/E	850*520*950mm




型号 Model	规格 Specification
AT-76001A1/B1	750*475*950mm
AT-86001A1/B1	850*520*950mm



型号 Model	规格 Specification
NT-75001F/E	750*475*950mm
NT-85001F/E	850*520*950mm

01系列
TYPE 01 SERIES

01系列
TYPE 01 SERIES

型号 Model	规格 Specification
AT-75001A2/B2-LB	750*475*950mm
AT-85001A2/B2-LB	850*520*950mm



型号 Model	规格 Specification
NT-75001A/B-LB	750*475*950mm
NT-85001A/B-LB	850*520*950mm



型号 Model	规格 Specification
AT-75001A1/B1-LB	750*475*950mm
AT-85001A1/B1-LB	850*520*950mm



型号 Model	规格 Specification
AT-75001F/E	750*475*950mm
AT-85001F/E	850*520*950mm



型号 Model	规格 Specification
ET-75001A/B-LB	750*475*950mm
ET-85001A/B-LB	850*520*950mm



型号 Model	规格 Specification
ET-75001A6/B6-LB	750*475*950mm
ET-85001A6/B6-LB	850*520*950mm



型号 Model	规格 Specification
ET-75001F/E-LB	750*475*950mm
ET-85001F/E-LB	850*520*950mm



型号 Model	规格 Specification
CT-75001D-LB	750*475*930mm
CT-85001D-LB	850*520*930mm



型号 Model	规格 Specification
CT-75001D3-LB	750*475*930mm
CT-85001D3-LB	850*520*930mm



型号 Model	规格 Specification
CT-75001D2-LB	750*475*930mm
CT-85001D2-LB	850*520*930mm



型号 Model	规格 Specification
CT-75001D5-LB	750*475*930mm
CT-85001D5-LB	850*520*930mm



型号 Model	规格 Specification
CT-75001D6-LB	750*475*930mm
CT-85001D6-LB	850*520*930mm



型号 Model	规格 Specification
CT-75001D10-LB	750*475*930mm
CT-85001D10-LB	850*520*930mm



型号 Model	规格 Specification
ITT-75001D-LB	750*475*930mm
ITT-85001D-LB	850*520*930mm



型号 Model	规格 Specification
ITT-75001D3-LB	750*475*930mm
ITT-85001D3-LB	850*520*930mm



型号 Model	规格 Specification
ITT-75001D5-LB	750*475*930mm
ITT-85001D5-LB	850*520*930mm



型号 Model	规格 Specification
ITT-75001D4-LB	750*475*930mm
ITT-85001D4-LB	850*520*930mm



型号 Model	规格 Specification
MT-75001A/B-LB	750*475*950mm
MT-85001A/B-LB	850*520*950mm



型号 Model	规格 Specification
MT-75001A6/B6-LB	750*475*950mm
MT-85001A6/B6-LB	850*520*950mm


01系列
TYPE 01 SERIES

* 尺寸数据仅供参考, 请以实物为准 (误差值为±50mm)

01系列
TYPE 01 SERIES

* 尺寸数据仅供参考, 请以实物为准 (误差值为±50mm)

02系列
TYPE 02 SERIES

12系列
TYPE 12 SERIES

型号 Model	规格 Specification
ET-62512B	625*475*950mm
ET-67512B	675*480*950mm



型号 Model	规格 Specification
ET-62512B5	625*475*950mm
ET-67512B5	675*480*950mm



型号 Model	规格 Specification
ET-62512D8	625*475*950mm
ET-67512D8	675*480*950mm



型号 Model	规格 Specification
ET-62512F	625*475*950mm
ET-67512F	675*480*950mm



型号 Model	规格 Specification
AT-62512B	625*475*950mm
AT-67512B	675*480*950mm



型号 Model	规格 Specification
AT-62512F	625*475*950mm
AT-67512F	675*480*950mm



型号 Model	规格 Specification
NT-62512B1	625*475*950mm
NT-67512B1	675*480*950mm



型号 Model	规格 Specification
CT-62512D	625*475*930mm
CT-67512D	675*480*930mm



型号 Model	规格 Specification
CT-62512D3	625*475*930mm
CT-67512D3	675*480*930mm



型号 Model	规格 Specification
CT-62512D5	625*475*930mm
CT-67512D5	675*480*930mm



型号 Model	规格 Specification
CT-62512D2	625*475*930mm
CT-67512D2	675*480*930mm



型号 Model	规格 Specification
CT-62512D8	625*475*930mm
CT-67512D8	675*480*930mm



型号 Model	规格 Specification
CT-62512D10	625*475*930mm
CT-67512D10	675*480*930mm



型号 Model	规格 Specification
ITT-62512D	625*475*930mm
ITT-67512D	675*480*930mm



型号 Model	规格 Specification
ITT-62512D3	625*475*930mm
ITT-67512D3	675*480*930mm



型号 Model	规格 Specification
ITT-62512D8	625*475*930mm
ITT-67512D8	675*480*930mm



型号 Model	规格 Specification
AT-62512B1	625*475*950mm
AT-67512B1	675*480*950mm



型号 Model	规格 Specification
MT-62512B	625*475*950mm
MT-67512B	675*480*950mm



型号 Model	规格 Specification
MT-62512B6	625*475*950mm
MT-67512B6	675*480*950mm

13系列
TYPE 13 SERIES

型号 Model	规格 Specification
ET-62513B	625*475*950mm
ET-67513B	675*480*950mm



型号 Model	规格 Specification
ET-62513B5	625*475*950mm
ET-67513B5	675*480*950mm



型号 Model	规格 Specification
ET-62513B6	625*475*950mm
ET-67513B6	675*480*950mm



型号 Model	规格 Specification
ET-62513F	625*475*950mm
ET-67513F	675*480*950mm



型号 Model	规格 Specification
AT-62513B	625*475*950mm
AT-67513B	675*480*950mm



型号 Model	规格 Specification
AT-62513F	625*475*950mm
AT-67513F	675*480*950mm



型号 Model	规格 Specification
NT-62513B1	625*475*950mm
NT-67513B1	675*480*950mm

13系列
TYPE 13 SERIES

型号 Model	规格 Specification
CT-62513D	625*475*930mm
CT-67513D	675*480*930mm



型号 Model	规格 Specification
CT-62513D3	625*475*930mm
CT-67513D3	675*480*930mm



型号 Model	规格 Specification
CT-62513D2	625*475*930mm
CT-67513D2	675*480*930mm



型号 Model	规格 Specification
CT-62513D5	625*475*930mm
CT-67513D5	675*480*930mm



型号 Model	规格 Specification
CT-62513D8	625*475*930mm
CT-67513D8	675*480*930mm



型号 Model	规格 Specification
CT-62513D10	625*475*930mm
CT-67513D10	675*480*930mm



型号 Model	规格 Specification
ITT-62513D	625*475*930mm
ITT-67513D	675*480*930mm



型号 Model	规格 Specification
ITT-62513D3	625*475*930mm
ITT-67513D3	675*480*930mm



型号 Model	规格 Specification
ITT-62513D8	625*475*930mm
ITT-67513D8	675*480*930mm



型号 Model	规格 Specification
ITT-62513B	625*475*950mm
ITT-67513B	675*480*950mm



型号 Model	规格 Specification
MT-62513B	625*475*950mm
MT-67513B	675*480*950mm



型号 Model	规格 Specification
MT-62513B6	625*475*950mm
MT-67513B6	675*480*950mm

31系列
TYPE 31 SERIES

型号 Model	规格 Specification
ET-75031B-LT	750*475*950mm
ET-85031B-LT	850*520*950mm



型号 Model	规格 Specification
ET-75031B-SG	750*475*950mm
ET-85031B-SG	850*520*950mm



型号 Model	规格 Specification
ET-75031B-SG	750*475*950mm
ET-85031B-SG	850*520*950mm



型号 Model	规格 Specification
ET-75031B-PK	750*475*950mm
ET-85031B-PK	850*520*950mm



型号 Model	规格 Specification
ET-75031B-OR	750*475*950mm
ET-85031B-OR	850*520*950mm



型号 Model	规格 Specification
ET-75031B-LB	750*475*950mm
ET-85031B-LB	850*520*950mm



型号 Model	规格 Specification
ET-75031F-LB	750*475*950mm
ET-85031F-LB	850*520*950mm

31系列
TYPE 31 SERIES

型号 Model	规格 Specification
CT-75031D	750*475*930mm
CT-85031D	850*520*930mm



型号 Model	规格 Specification
CT-75031D3	750*475*930mm
CT-85031D3	850*520*930mm



型号 Model	规格 Specification
CT-75031D5	750*475*930mm
CT-85031D5	850*520*930mm



型号 Model	规格 Specification
ITT-75031D	750*475*930mm
ITT-85031D	850*520*930mm



型号 Model	规格 Specification
ITT-75031D3-SG	750*475*930mm
ITT-85031D3-SG	850*520*930mm



型号 Model	规格 Specification
ITT-75031D5-SG	750*475*930mm
ITT-85031D5-SG	850*520*930mm



型号 Model	规格 Specification
ITT-75031B-LT	750*475*950mm
ITT-85031B-LT	850*520*950mm



型号 Model	规格 Specification
NT-75031B-LT	750*475*950mm
NT-85031B-LT	850*520*950mm



型号 Model	规格 Specification
AT-75031B2-LT	750*475*950mm
AT-85031B2-LT	850*520*950mm



型号 Model	规格 Specification
AT-75031F-LT	750*475*950mm
AT-85031F-LT	850*520*950mm



型号 Model	规格 Specification
MT-75031B-LT	750*475*950mm
MT-85031B-LT	850*520*950mm



型号 Model	规格 Specification
MT-75031B6-LT	750*475*950mm
MT-85031B6-LT	850*520*950mm

11系列 TYPE 11 SERIES



型号 Model	规格 Specification
ET-75011A/B	750*475*950mm
ET-85011A/B	850*520*950mm



型号 Model	规格 Specification
ET-75011A/B	750*475*950mm
ET-85011A/B	850*520*950mm



型号 Model	规格 Specification
ET-75011E/F	750*475*950mm
ET-85011E/F	850*520*950mm



型号 Model	规格 Specification
ET-75011A/B-8U	750*475*950mm
ET-85011A/B-8U	850*520*950mm



型号 Model	规格 Specification
AT-75011A/B	750*475*950mm
AT-85011A/B	850*520*950mm



型号 Model	规格 Specification
AT-75011A1/B1	750*475*950mm
AT-85011A1/B1	850*520*950mm



型号 Model	规格 Specification
NT-75011A/B-8U	750*475*950mm
NT-85011A/B-8U	850*520*950mm

※ 尺寸数据仅供参考需以实物为准 (误差值为±50mm)

11系列 TYPE 11 SERIES



型号 Model	规格 Specification
CT-75011D/C	750*475*930mm
CT-85011D/C	850*520*930mm



型号 Model	规格 Specification
CT-75011D3/C3	750*475*930mm
CT-85011D3/C3	850*520*930mm



型号 Model	规格 Specification
CT-75011D8/C8	750*475*930mm
CT-85011D8/C8	850*520*930mm



型号 Model	规格 Specification
ITT-75011D3/C3	750*475*930mm
ITT-85011D3/C3	850*520*930mm



型号 Model	规格 Specification
ITT-75011D8/C8	750*475*930mm
ITT-85011D8/C8	850*520*930mm



型号 Model	规格 Specification
ITT-75011D8/C8	750*475*930mm
ITT-85011D8/C8	850*520*930mm



型号 Model	规格 Specification
MT-75011A2	750*475*950mm



型号 Model	规格 Specification
MT-85011A2	850*520*950mm



型号 Model	规格 Specification
MT-75011A/B	750*475*950mm
MT-85011A/B	850*520*950mm



型号 Model	规格 Specification
ITT-75011A/B-8U	750*475*950mm
ITT-85011A/B-8U	850*520*950mm




型号 Model	规格 Specification
AT-75011E/F-8U	750*475*950mm
AT-85011E/F-8U	850*520*950mm



型号 Model	规格 Specification
MT-75011A/B	750*475*950mm
MT-85011A/B	850*520*950mm

※ 尺寸数据仅供参考需以实物为准 (误差值为±50mm)

77系列
TYPE 77 SERIES

型号 Model	规格 Specification
ET-75077A/B-GS	750*475*950mm
ET-85077A/B-GS	850*520*950mm

可选配置
Optional Configuration

型号 Model	规格 Specification
ET-75077A/B-GS	750*475*950mm
ET-85077A/B-GS	850*520*950mm

型号 Model	规格 Specification
ET-75077A/B-GN	750*475*950mm
ET-85077A/B-GN	850*520*950mm


型号 Model	规格 Specification
ET-75077A/B-BU	750*475*950mm
ET-85077A/B-BU	850*520*950mm



型号 Model	规格 Specification
CT-75077C5-BU	750*475*930mm
CT-85077C5-BU	850*520*930mm



型号 Model	规格 Specification
CT-75077C5-GN	750*475*930mm
CT-85077C5-GN	850*520*930mm



型号 Model	规格 Specification
CT-75077C8-GN	750*475*930mm
CT-85077C8-GN	850*520*930mm



型号 Model	规格 Specification
ITT-75077C5-GN	750*475*930mm
ITT-85077C5-GN	850*520*930mm



型号 Model	规格 Specification
ITT-75077C8-GN	750*475*930mm
ITT-85077C8-GN	850*520*930mm



型号 Model	规格 Specification
ITT-75077A1-GN	750*475*950mm
ITT-85077A1-GN	850*520*950mm



型号 Model	规格 Specification
MT-75077A-BU	750*475*950mm
MT-85077A-BU	850*520*950mm



型号 Model	规格 Specification
MT-75077A-GN	750*475*950mm
MT-85077A-GN	850*520*950mm



型号 Model	规格 Specification
MT-75077A2-GN	750*475*950mm
MT-85077A2-GN	850*520*950mm



型号 Model	规格 Specification
AT-75077A1-BU	750*475*950mm
AT-85077A1-BU	850*520*950mm




型号 Model	规格 Specification
NT-75077A-BU	750*475*950mm
NT-85077A-BU	850*520*950mm



型号 Model	规格 Specification
AT-75077A2-GN	750*475*950mm
AT-85077A2-GN	850*520*950mm

23系列
TYPE 23 SERIES

型号 Model	规格 Specification
ET-78023A/B	780*480*1000mm



型号 Model	规格 Specification
AT-78023A2B/B2B	780*480*1000mm

型号 Model	规格 Specification
NT-78023A/B	780*480*1000mm



型号 Model	规格 Specification
AT-78023A2/B2	780*480*1000mm

部分配置细节
Part of the configuration details23系列
TYPE 23 SERIES

型号 Model	规格 Specification
CT-78023D-1/C-1	780*480*1000mm



型号 Model	规格 Specification
CT-78023D/C	780*480*1000mm



型号 Model	规格 Specification
CT-78023D3/C3	780*480*1000mm



型号 Model	规格 Specification
CT-78023D5/C5	780*480*1000mm



型号 Model	规格 Specification
MT-78023A2/B2	780*480*1000mm



型号 Model	规格 Specification
MT-78023A3/B3	780*480*1000mm




型号 Model	规格 Specification
ITT-78023D/C	780*480*1000mm



型号 Model	规格 Specification
ITT-78023D3/C3	780*480*1000mm



型号 Model	规格 Specification
ITT-78023D5/C5	780*480*1000mm

22系列
TYPE 22 SERIES

型号 Model	规格 Specification
CT-60022C3/D3	600*460*1000mm



型号 Model	规格 Specification
CT-60022A6/B6	600*460*1000mm



型号 Model	规格 Specification
MT-60022A2/B2	600*460*1000mm



型号 Model	规格 Specification
MT-60022A3/B3	600*460*1000mm

部分配置细节
Part of the configuration details22系列
TYPE 22 SERIES

型号 Model	规格 Specification
CT-60022C5/D5-LB	600*460*1000mm



型号 Model	规格 Specification
CT-60022S3	600*460*900mm



型号 Model	规格 Specification
CT-60022C3/D3-LB	600*460*1000mm

部分配置细节
Part of the configuration details

型号 Model	规格 Specification
CT-60022S1	600*460*900mm



型号 Model	规格 Specification
CT-60022S3-1	600*460*900mm



型号 Model	规格 Specification
CT-60022S2	600*460*900mm

晨间护理车
Laundry collecting trolley



型号 Model	规格 Specification
LCT-625 1D	625*475*930mm



型号 Model	规格 Specification
LCT-625 1D3	625*475*930mm



型号 Model	规格 Specification
LCT-6232SC	623*475*930mm
LCT-6902SC	690*482*930mm



型号 Model	规格 Specification
LCT-98858 1J	988*541*936mm



型号 Model	规格 Specification
LCT-10056 1J	1005*540*936mm



型号 Model	规格 Specification
LCT-11856 1J	1185*570*936mm



型号 Model	规格 Specification
LCT-100532J	1005*540*936mm



型号 Model	规格 Specification
LCT-6232SC-BS	623*475*930mm
LCT-6902SC-BS	690*482*930mm



型号 Model	规格 Specification
LCT-10056 1J1	1005*540*936mm



型号 Model	规格 Specification
LCT-10056 1J-SG	1005*540*936mm

晨间护理车
Laundry collecting trolley

污物车

Waste collecting trolley



型号 Model
SUS-80056

规格 Specification
800*590*890mm



型号 Model
WT-80056J

规格 Specification
800*590*890mm



型号 Model
WT-58856J-HS

规格 Specification
588*428*890mm



型号 Model
WT-58856J

规格 Specification
588*428*890mm



型号 Model
SUS-58856J-HS

规格 Specification
588*428*890mm



型号 Model
SUS-58856J

规格 Specification
588*428*890mm

病历车

Case history trolley



型号 Model
LG-CHT0322

规格 Specification
730*410*1050mm

部分配置细节
Part of the configuration details



型号 Model
LG-CHT0322

规格 Specification
730*410*1050mm



型号 Model
LG-CHT0321

规格 Specification
385*410*1050mm



病历车

Case history trolley



型号Model	规格Specification
CHT-021	450*410*890mm



型号Model	规格Specification
CHT-022	450*410*890mm



型号Model	规格Specification
CHT-082	750*410*980mm



型号Model	规格Specification
CHT122	750*410*1130mm



型号Model	规格Specification
CHT071	385*410*1080mm



型号Model	规格Specification
CHT0321	385*410*1080mm



型号Model	规格Specification
CHT-021	450*410*890mm



型号Model	规格Specification
CHT-022	450*410*890mm



型号Model	规格Specification
CHT-082	750*410*980mm



型号Model	规格Specification
CHT0322	730*410*1050mm



型号Model	规格Specification
CHT031	730*410*1050mm



型号Model	规格Specification
CHT032	730*410*1050mm



型号Model	规格Specification
CHT051-30WC	385*410*1050mm




型号Model	规格Specification
CHT052-60WC	730*410*1050mm



型号Model	规格Specification
CHT021-30WC	450*410*890mm



型号Model	规格Specification
CHT0212	450*410*980mm



型号Model	规格Specification
CHT0222	750*410*980mm



型号Model	规格Specification
CHT061	385*410*1080mm



型号Model	规格Specification
CHT022-60WC	750*410*980mm



普通型

型号Model	规格Specification
CHF011	230*355mm



加厚型

型号Model	规格Specification
CHF022	230*355mm



型号Model	规格Specification
CHT062	385*410*1080mm



型号Model	规格Specification
CHT0223	450*410*980mm



型号Model	规格Specification
CHT0223	750*410*980mm



★病历夹 500支以上可定制颜色 More than 500 pieces can be customized in colors

不锈钢系列
STAINLESS STEEL SERIES



型号Model	规格Specification
SUS-150057	1500*10*880*945mm
	1400*860*860*825mm
	1200*450*840*905mm



型号Model	规格Specification
SUS-100057	1000*610*900mm



型号Model	规格Specification
SUS-100057	850*530*850mm



型号Model	规格Specification
SUS-100057	750*490*800mm



型号Model	规格Specification
SUS-70057	700*500*800*1100mm
SUS-60057-3	600*400*800*1100mm



型号Model	规格Specification
SUS-60057-1	600*400*800*1100mm



型号Model	规格Specification
SUS-60057-18	600*300*800mm



型号Model	规格Specification
SUS-60057-12	600*400*800*1100mm



型号Model	规格Specification
LG-510-2	510*700*890*900mm



型号Model	规格Specification
LG-510-3	510*700*860*990mm



型号Model	规格Specification
SUS-83057	582*830*680*820-1180



型号Model	规格Specification
SUS-76057-12	760*600*860*1180mm



型号Model	规格Specification
SUS-76057	760*520*840*920mm
SUS-64057	640*450*840*920mm



型号Model	规格Specification
SUS-60057-8	600*400*800*1100mm



型号Model	规格Specification
SUS-96057-12	960*545*850mm



型号Model	规格Specification
SUS-99557	995*595*850*920mm
	805*545*850*920mm
	750*450*850*920mm

不锈钢系列
STAINLESS STEEL SERIES



型号 Model	规格 Specification
SUS-31057	310*610-750mm



型号 Model	规格 Specification
SUS-31057SL	310*610-750mm



型号 Model	规格 Specification
SUS-31057-1	310*610-750mm



型号 Model	规格 Specification
SUS-31057L	310*610-750mm



型号 Model	规格 Specification
SUS-31057-2	310*610-750mm



型号 Model	规格 Specification
SUS-31057-3	310*610-750mm



型号 Model	规格 Specification
SUS-102557	1025*385*1030mm



型号 Model	规格 Specification
SUS-102557-1	1025*785*1220mm



型号 Model	规格 Specification
SUS-119057	1190*490*260mm



型号 Model	规格 Specification
SUS-34057T	340*356mm



型号 Model	规格 Specification
SUS-41057T	410*320mm



型号 Model	规格 Specification
F-400JZ	400*300*90mm



型号 Model	规格 Specification
F-400J	400*300*90mm



型号 Model	规格 Specification
LG-400J	400*300*90mm



型号 Model	规格 Specification
SUS-49557	496*342*120mm
SUS-49557	496*342*150mm
SUS-49557	496*342*200mm



型号 Model	规格 Specification
SUS-46057	460*250*80mm
SUS-46057	460*250*150mm
SUS-46057	460*250*165mm



型号 Model	规格 Specification
SUS-400J	400*450*200-400mm



型号 Model	规格 Specification
SUS-50057T	500*500*670mm



型号 Model	规格 Specification
SUS-86057-1	860*465*940mm



型号 Model	规格 Specification
SUS-47257F	472*472*1150mm

不锈钢系列 STAINLESS STEEL SERIES



型号 Model	规格 Specification
SUS-400J	600*430*740/890mm



型号 Model	规格 Specification
SUS-60057-20	600*430*800/880mm 920*550*800/880mm



型号 Model	规格 Specification
SUS-99557-5	995*595*900mm 805*455*800mm



型号 Model	规格 Specification
SUS-950572	950*550*915mm



型号 Model	规格 Specification
SUS-30067-6	900*500*1130mm



型号 Model	规格 Specification
SUS-70057	700*500*800mm



型号 Model	规格 Specification
SUS-950572	800*480*915mm



型号 Model	规格 Specification
SUS-900562	900*600*870/950mm



型号 Model	规格 Specification
SUS-93057	930*500*1000mm



工作区 workspace



物品区 item area



污物区 dirt area

不锈钢系列 STAINLESS STEEL SERIES



型号 Model	规格 Specification
SUS-600572	600*430*755/930mm



型号 Model	规格 Specification
SUS-63057D	630*400*795/865mm



型号 Model	规格 Specification
SUS-63057D2	630*400*795/865mm



型号 Model	规格 Specification
SUS-65057D3	650*450*770/920mm



型号 Model	规格 Specification
SUS-63057D5	630*400*795/865mm



型号 Model	规格 Specification
SUS-63057D6	630*400*795/865mm



型号 Model	规格 Specification
SUS-65057D2	650*450*770/920mm

不锈钢系列
STAINLESS STEEL SERIES



型号 Model	规格 Specification
SUS-73057D8	730*450*920mm



型号 Model	规格 Specification
SUS-73057D2-2	650*450*770/920mm



型号 Model	规格 Specification
SUS-73057D3	650*450*770/920mm



型号 Model	规格 Specification
SUS-73057D	730*450*920mm



型号 Model	规格 Specification
SUS-80057	800*480*920mm



型号 Model	规格 Specification
SUS-57057D	570*450*1000mm



型号 Model	规格 Specification
SUS-40057D	600*430*740/880mm



型号 Model	规格 Specification
SUS-73057D5	730*450*920mm



型号 Model	规格 Specification
SUS-60057D2T	600*430*790/880mm



型号 Model	规格 Specification
SUS-80057L1	800*480*850mm 660*440*850mm 600*400*850mm



型号 Model	规格 Specification
SUS-80057L2	800*480*850mm 660*440*850mm 600*400*850mm



型号 Model	规格 Specification
SUS-80057L3	800*480*850mm 660*440*850mm 600*400*850mm



型号 Model	规格 Specification
SUS-60057-2	600*400*920mm



型号 Model	规格 Specification
SUS-60057-5	600*400*920mm



型号 Model	规格 Specification
SUS-42557D2	425*425*723mm



型号 Model	规格 Specification
SUS-80057D-4	800*440*850mm
SUS-66057D-4	660*440*850mm
SUS-60057D-4	600*400*850mm



型号 Model	规格 Specification
SUS-80057D-3	800*440*850mm
SUS-66057D-3	660*440*850mm
SUS-60057D-3	600*480*850mm



型号 Model	规格 Specification
SUS-90057-2	900*600*950-1200mm



型号 Model	规格 Specification
SUS-585570M	685*450*910mm



型号 Model	规格 Specification
SUS-106557	1065*548*970mm



型号 Model	规格 Specification
SUS-93557	935*550*970mm



型号 Model	规格 Specification
SUS-73057	730*410*1050mm



型号 Model	规格 Specification
SUS-38557	385*410*1050mm



型号 Model	规格 Specification
SUS-90057-3	900*600*950-1200mm

不锈钢系列
STAINLESS STEEL SERIES

不锈钢系列
STAINLESS STEEL SERIES



型号 Model	规格 Specification
SUS-105857M	1058*670*1280mm



型号 Model	规格 Specification
SUS-100057M1	1000*500*990mm



型号 Model	规格 Specification
SUS-100057M	1000*520*900mm



型号 Model	规格 Specification
SUS-65057	650*450*900mm



型号 Model	规格 Specification
SUS-60057-5	600*410*960/1040mm



型号 Model	规格 Specification
SUS-60057-6	600*410*960/1030mm



型号 Model	规格 Specification
SUS-66057L	660*440*850mm



型号 Model	规格 Specification
SUS-73057M1	730*450*960mm



型号 Model	规格 Specification
SUS-75057D21	750*450*850mm



型号 Model	规格 Specification
SUS-63057C1	630*400*795/865mm



型号 Model	规格 Specification
SUS-63057C2	630*400*795/865mm



型号 Model	规格 Specification
SUS-63057C3	630*400*795/865mm



型号 Model	规格 Specification
SUS-111057	1110*580*865mm



型号 Model	规格 Specification
SUS-66057M2	760*660*440*860mm



型号 Model	规格 Specification
SUS-80057M	800*450*900mm



型号 Model	规格 Specification
SUS-66957D	669*417*890mm



型号 Model	规格 Specification
SUS-66957D2	669*417*890mm



型号 Model	规格 Specification
SUS-66957D3	669*417*890mm

不锈钢系列
STAINLESS STEEL SERIES



型号 Model	规格 Specification
SUS-50057P	500*1700mm



型号 Model	规格 Specification
SUS-40057P	670*450*1700mm



型号 Model	规格 Specification
SUS-50057	500*500*700mm



型号 Model	规格 Specification
SUS-60456	940*420*895mm



型号 Model	规格 Specification
SUS-60057W	600*600*870mm



型号 Model	规格 Specification
SUS-80057W-3	800*500*870/875mm



型号 Model	规格 Specification
SUS-80057DZ	800*460*1800mm



型号 Model	规格 Specification
SUS-70057DT	800*600*1100mm



型号 Model	规格 Specification
SUS-130057	1300*430*920mm



型号 Model	规格 Specification
SUS-96057-10	960*550*870mm



型号 Model	规格 Specification
SUS-90057T	900*450*880mm



型号 Model	规格 Specification
SUS-55057W-1	550*550*780/880mm



型号 Model	规格 Specification
SUS-113057	1130*784*905mm



型号 Model	规格 Specification
SUS-113057F	1100*600*750/950mm



型号 Model	规格 Specification
SUS-120057F	1200*600*1600mm



型号 Model	规格 Specification
SUS-96057-8	900*500*850mm



型号 Model	规格 Specification
SUS-70057	700*500*800mm



型号 Model	规格 Specification
SUS-48075W-5	480*480*800mm

不锈钢系列

STAINLESS STEEL SERIES



型号 Model	规格 Specification
SUS-70057DT	800*600*1100mm




型号 Model	规格 Specification
SUS-130057	1300*430*920mm



型号 Model	规格 Specification
SUS-80057DZ	800*460*1800mm



型号 Model	规格 Specification
SUS-70057DT	800*600*1100mm



型号 Model	规格 Specification
SUS-130057	1300*430*920mm



型号 Model	规格 Specification
SUS-80057DZ	800*460*1800mm



型号 Model	规格 Specification
SUS-70057DT	800*600*1100mm



型号 Model	规格 Specification
SUS-130057	1300*430*920mm



型号 Model	规格 Specification
SUS-80057DZ	800*460*1800mm



型号 Model	规格 Specification
SUS-70057DT	800*600*1100mm



型号 Model	规格 Specification
SUS-130057	1300*430*920mm

不锈钢系列

STAINLESS STEEL SERIES



型号 Model	规格 Specification
SUS-121558D1	1215*600*1500mm 1515*600*1800mm



型号 Model	规格 Specification
SUS-85058 SUS-120058	950*600*1750mm 1200*600*1750mm



型号 Model	规格 Specification
SUS-120058D4	1200*500*1800mm



型号 Model	规格 Specification
SUS-120058D3	1200*500*1800mm



型号 Model	规格 Specification
SUS-200058D1	2000*600*2000mm



型号 Model	规格 Specification
SUS-120058D1	1200*500*1800mm



型号 Model	规格 Specification
SUS-120058D2	1200*500*1800mm



型号 Model	规格 Specification
LG-200058D2	2000*600*2000mm

不锈钢系列
STAINLESS STEEL SERIES



型号 Model	规格 Specification
SUS-110057M	1100*450*1800mm



型号 Model	规格 Specification
SUS-110057M1	1100*450*1800mm



型号 Model	规格 Specification
SUS-90057M	900*450*1800mm



型号 Model	规格 Specification
SUS-110057M2	1100*450*1800mm



型号 Model	规格 Specification
SUS-110057M3	1100*250/450*1800mm



型号 Model	规格 Specification
SUS-130057	1300*600*750mm

不锈钢系列
STAINLESS STEEL SERIES



型号 Model	规格 Specification
SUS-110057M-1	1100*450*1800mm
SUS-90057M-1	900*400*1800mm



型号 Model	规格 Specification
SUS-110057M-2	1100*450*1800mm
SUS-90057M-2	900*400*1800mm



型号 Model	规格 Specification
SUS-110057M-3	1100*450*1800mm
SUS-90057M-3	900*400*1800mm



型号 Model	规格 Specification
SUS-110057M-4	1100*450*1800mm
SUS-90057M-4	900*400*1800mm



型号 Model	规格 Specification
SUS-110057M-5	1100*500/280*1800mm
SUS-90057M-5	900*500/280*1800mm



型号 Model	规格 Specification
SUS-110057M-6	1100*450*1800mm
SUS-90057M-6	900*400*1800mm



型号 Model	规格 Specification
SUS-110057M-7	1100*450*1800mm
SUS-90057M-7	900*400*1800mm



型号 Model	规格 Specification
SUS-110057M-8	900*420*1800mm


不锈钢系列
STAINLESS STEEL SERIES



不锈钢系列
STAINLESS STEEL SERIES



型号 Model	规格 Specification
SUS-120057X	1200*600* (850+100)
SUS-150057X	1500*600* (850+100)
SUS-180057X	1800*600* (850+100)



型号 Model	规格 Specification
SUS-150057X3	1500*700*1050mm



型号 Model	规格 Specification
SUS-120057X1	1200*600* (850+100)
SUS-150057X1	1500*600* (850+100)
SUS-180057X1	1800*600* (850+100)



型号 Model	规格 Specification
SUS-60057X8	600*600*600*1700mm



型号 Model	规格 Specification
SUS-60057X-1	600*600*600*1100mm



型号 Model	规格 Specification
SUS-200057X	2000*600*1230mm



型号 Model	规格 Specification
SUS-150056X	1500*600*820*1100mm
SUS-120056X	1200*600*820*1100mm



型号 Model	规格 Specification
SUS-60056X	600*600*600*1100mm



型号 Model	规格 Specification
MC-85059J	800*800*800mm



型号 Model	规格 Specification
SUS-400057X2	4000*600*800*950mm

型号 Model



型号 Model	规格 Specification
SUS-400057X	5000*600*800*950mm



型号 Model	规格 Specification
SUS-140057X	1400*2300*2400*585*1900mm



型号 Model	规格 Specification
SUS-140057X1	1400*560*870mm



型号 Model	规格 Specification
SUS-140057X2	1400*2000*2400*600*850mm

不锈钢系列 STAINLESS STEEL SERIES



型号 Model	规格 Specification
不锈钢引 伸型贮槽	φ 170*140mm
	φ 200*155mm
	φ 230*175mm
	φ 260*190mm
	φ 300*200mm



型号 Model	规格 Specification
不锈钢托盘	400*300*33mm
	310*240*31mm
	260*200*30mm
	230*170*28mm



型号 Model	规格 Specification
不锈钢治疗盒 不带瓶	310*240*31mm
	300*198*50mm



型号 Model	规格 Specification
不锈钢治疗盒 带瓶	310*240*31mm
	300*198*50mm



型号 Model	规格 Specification
不锈钢 有孔带盖方盘	6寸 150*100*45mm
	8寸 200*110*45mm
	9寸 250*160*45mm
	12寸 300*200*50mm



型号 Model	规格 Specification
不锈钢 无孔带盖方盘	6寸 150*100*45mm
	8寸 200*110*45mm
	9寸 250*160*45mm
	12寸 300*200*50mm



型号 Model	规格 Specification
不锈钢纱布桶	φ 120mm 120*120mm
	φ 140mm 141*126mm
	φ 160mm 160*154mm



型号 Model	规格 Specification
30孔不锈钢采血架	235*80*65mm



型号 Model	规格 Specification
不锈钢洗药碗	φ 120*45mm
	φ 140*52mm
	φ 160*60mm



型号 Model	规格 Specification
不锈钢量杯	500ml φ 100*110mm
	1000ml φ 100*160mm
	2000ml φ 100*200mm



型号 Model	规格 Specification
不锈钢小便壶	250*125*155mm 350克



型号 Model	规格 Specification
不锈钢大便盆	350*280*97mm 850克



型号 Model	规格 Specification
SUS-QXWL-480	480*255*55mm



型号 Model	规格 Specification
SUS-QXWL-300	300*200*100mm



型号 Model	规格 Specification
SUS-QXWL1-330	330*280*70mm



型号 Model	规格 Specification
SUS-QXWLGS-380	380*95*75mm

不锈钢系列 STAINLESS STEEL SERIES



型号 Model	规格 Specification
SUS-67057	640*430*1500mm



型号 Model	规格 Specification
SUS-183057	1830*880*1675mm 三柱
SUS-242557	2425*880*1675mm 四柱



型号 Model	规格 Specification
SUS-65057	650*550*1540mm



型号 Model	规格 Specification
SUS-55057	550*460*1500mm



型号 Model	规格 Specification
SUS-84767	847*517*650mm



型号 Model	规格 Specification
SUS-130957	1300*700*1200-1500mm



型号 Model	规格 Specification
SUS-58057	580*390*130mm
	580*390*190mm



型号 Model	规格 Specification
SUS-53057	530*380*130mm
	530*380*190mm

床边餐桌
OVER BED TABLE



型号 Model	规格 Specification
OBT-B05	800*400*725-955mm

可拆卸包装
Dismountable package



型号 Model	规格 Specification
OBT-B07	800*400*725-955mm

可拆卸包装
Dismountable package



型号 Model	规格 Specification
OBT-B05-1	800*400*725-955mm



型号 Model	规格 Specification
OBT-B01	850*420*725-955mm



型号 Model	规格 Specification
OBT-B02	850*420*725-955mm

钢塑多功能推车
STEEL-PLASTIC TROLLEY



型号 Model	规格 Specification
SPT60018C20	600*410*955mm
SPT67018C20	670*475*955mm
SPT73018C20	730*480*955mm



型号 Model	规格 Specification
SPT60018C30	600*410*955mm
SPT67018C30	670*475*955mm
SPT73018C30	730*480*955mm



型号 Model	规格 Specification
SPT60018C21	600*410*955mm
SPT67018C21	670*475*955mm
SPT73018C21	730*480*955mm



型号 Model	规格 Specification
SPT60018C21-DT	600*410*955mm
SPT67018C21-DT	670*475*955mm
SPT73018C21-DT	730*480*955mm



型号 Model	规格 Specification
SPT60018C21-DP	600*410*955mm
SPT67018C21-DP	670*475*955mm
SPT73018C21-DP	730*480*955mm



型号 Model	规格 Specification
SPT60018C31	600*410*955mm
SPT67018C31	670*475*955mm
SPT73018C31	730*480*955mm



(中号)



(大号)

实用型多功能推车
UTILITY TROLLEY

型号 Model	规格 Specification
101A	539*366*835mm
201A	640*456*915mm
301A	760*520*915mm



型号 Model	规格 Specification
101B	539*366*835mm
201B	640*456*915mm
301B	760*520*915mm



型号 Model	规格 Specification
101C	539*366*835mm
201C	640*456*915mm
301C	760*520*915mm



型号 Model	规格 Specification
101D	539*366*835mm
201D	640*456*915mm
301D	760*520*915mm



型号 Model	规格 Specification
101E	539*366*835mm



型号 Model	规格 Specification
101F	539*366*835mm



型号 Model	规格 Specification
101G	539*366*835mm



型号 Model	规格 Specification
101H	539*366*835mm



型号 Model	规格 Specification
101I	539*366*835mm



型号 Model	规格 Specification
101J	539*366*835mm



型号 Model	规格 Specification
101K	539*366*835mm



型号 Model	规格 Specification
101L	539*366*835mm



型号 Model	规格 Specification
201I	640*456*915mm
301I	760*520*915mm



型号 Model	规格 Specification
201K	640*456*915mm
301K	760*520*915mm



型号 Model	规格 Specification
201E	640*456*915mm
301E	760*520*915mm




型号 Model	规格 Specification
201F	640*456*915mm
301F	760*520*915mm

钢塑多功能推车
STEEL-PLASTIC TROLLEY

型号 Model	规格 Specification
201J	640*456*915mm
301J	760*520*915mm




型号 Model	规格 Specification
201O	640*456*915mm
301O	760*520*915mm



型号 Model	规格 Specification
201C1	640*456*915mm




型号 Model	规格 Specification
201C2	640*456*915mm



型号 Model	规格 Specification
201C1-1	640*456*915mm



型号 Model	规格 Specification
201C2-1	640*456*915mm



床头柜
BEDSIDE CABINET



- ABS台面模具一次成型凹陷设计防止物品滑落;
- 左右各配置可折叠隐藏式毛巾架两只小挂钩;
- 多种款式可选(餐板、抽柜、门、鞋架)
- 可选装脚轮;
- The stainless steel tabletop mold is stamped once to form with a concave design to prevent items from slipping off
- Foldable concealed towel rack on the left and right sides, with two small hooks
- The cabinet is equipped with a partition to accommodate hot water bottles
- Optional casters

型号 Model 规格 Specification
BS009-35 480*480*850mm



型号 Model 规格 Specification
BS009-32 480*480*850mm



型号 Model 规格 Specification
BS009-36 480*480*850mm



型号 Model 规格 Specification
BS009-31 480*480*850mm



型号 Model 规格 Specification
BS009-33 480*480*850mm



型号 Model 规格 Specification
BS009-25 480*480*800mm



型号 Model 规格 Specification
BS009-22 480*480*800mm



型号 Model 规格 Specification
BS009-21 480*480*800mm



型号 Model 规格 Specification
BS009-23 480*480*800mm



型号 Model 规格 Specification
BS009-15 480*480*800mm



型号 Model 规格 Specification
BS009-12 480*480*800mm



型号 Model 规格 Specification
BS009-13 480*480*800mm



型号 Model 规格 Specification
BS009-11 480*480*800mm



- 不锈钢台面模具冲压一次成型凹陷设计防止物品滑落;
- 左右各配置可折叠隐藏式毛巾架两只小挂钩;
- 柜内配有一个隔板可放置热水瓶;
- 可选装脚轮;
- The stainless steel tabletop mold is stamped once to form with a concave design to prevent items from slipping off
- Foldable concealed towel rack on the left and right sides, with two small hooks
- The cabinet is equipped with a partition to accommodate hot water bottles
- Optional casters

型号 Model 规格 Specification
BS011-31 480*480*800mm



型号 Model 规格 Specification
BS011-23 480*480*800mm



型号 Model 规格 Specification
BS011-32 480*480*800mm



型号 Model 规格 Specification
BS011-33 480*480*800mm



型号 Model 规格 Specification
BS011-35 480*480*800mm



型号 Model 规格 Specification
BS011-36 480*480*800mm



型号 Model 规格 Specification
BS011-21 480*480*800mm



型号 Model 规格 Specification
BS011-22 480*480*800mm



型号 Model 规格 Specification
BS011-25 480*480*800mm



型号 Model 规格 Specification
BS011-27 480*480*800mm



型号 Model 规格 Specification
BS011-11 480*480*740mm



型号 Model 规格 Specification
BS011-13 480*480*740mm



型号 Model 规格 Specification
BS011-16 480*480*740mm



型号 Model 规格 Specification
BS011-15 480*480*740mm

床头柜

BEDSIDE CABINET

台面ABS材质一次模具注塑成型
One-shot injection molding of table top ABS material

活动抽屉
Bottle Holder

隐藏式长条毛巾架
Hidden long towel rack

加厚拉手
thickened handle

抽屉标识牌插片，标识抽屉内物品
Label Cards For Drawers

脚轮
Caster

型号 Model
BS012-31

规格 Specification
480*480*810mm

- 大型模具注塑工艺成型；
- 整体柜身；
- 我们床头柜除了010、011型外，其他型号的床头柜
- 柜头用的是金属三折轨道，轨道是隐藏式的。
- 左右各配置一个活动抽屉。
- 抽屉内使用空间99°120mm；
- 台面使用尺寸：455*425*10mm
- 台面可选配不锈钢贴面

- Using big size mould by injection molding technique.
- Integral cabinet body;
- The material and structure of bedside cabinet: full plastic
- aluminum plastic: plastic steel and so on;
- There is an active drawer on the left and right.
- The usable space in the drawer is 99°120mm;
- Countertop size: 455*425*10mm;
- SUS plate can be optional



台面ABS材质一次模具注塑成型
One-shot injection molding of table top ABS material

活动抽屉
Bottle Holder

隐藏式长条毛巾架
Hidden long towel rack

加厚拉手
thickened handle

脚轮
Caster

型号 Model
BS008-21

规格 Specification
480*480*810mm

480*480*820/845mm

ABS抽屉高度80mm
ABS Drawer height 80mm

ABS抽屉高度140mm
ABS Drawer height 140mm

ABS抽屉高度240mm
ABS Drawer height 240mm



型号 Model
BS012-32

规格 Specification
480*480*810mm



型号 Model
BS012-33

规格 Specification
480*480*810mm



型号 Model
BS012-35

规格 Specification
480*480*810mm



型号 Model
BS012-25

规格 Specification
480*480*810mm



型号 Model
BS012-26

规格 Specification
480*480*810mm



型号 Model
BS012-27

规格 Specification
480*480*810mm



型号 Model
BS012-21

规格 Specification
480*480*810mm



型号 Model
BS012-23

规格 Specification
480*480*810mm



型号 Model
BS012-22

规格 Specification
480*480*810mm



型号 Model
BS008-22

规格 Specification
480*480*820/845mm



型号 Model
BS008-23

规格 Specification
480*480*820/845mm



型号 Model
BS008-25

规格 Specification
480*480*820/845mm

床头柜 BEDSIDE CABINET



型号 Model	规格 Specification
BS001	525*585*750mm

- 大型模具注塑工艺成型；
- 整体柜身；
- 我们床头柜除了010、011型外，其他型号的床头柜均采用的是金属三折轨道，轨道是隐藏式的。
- 加硬型餐板和合面；
- 门带伸缩性锁舌进行限位
- 台面可选配不锈钢贴面
- Using big size mould by injection molding technique.
- Integral cabinet body;
- The material and structure of bedside cabinet full plastic, aluminum plastic, plastic steel and so on;
- The drawer track for all the models is metal track except the model of 010 which can be concealed
- Strengthen dining board and top board;
- SUS plate can be optional



型号 Model	规格 Specification
BS009-32	480*480*850mm



型号 Model	规格 Specification
BS009-36	480*480*850mm



型号 Model	规格 Specification
BS009-31	480*480*850mm



型号 Model	规格 Specification
BS009-33	480*480*850mm



型号 Model	规格 Specification
BS009-32	480*480*850mm



型号 Model	规格 Specification
BS009-36	480*480*850mm



型号 Model	规格 Specification
BS009-31	480*480*850mm



型号 Model	规格 Specification
BS009-33	480*480*850mm

儿童床婴儿车 CHILD BED/TROLLEY



型号 Model	规格 Specification
CBT-8502-FS	850*890*470*850*1030mm



型号 Model	规格 Specification
CBT-8502-BU	850*890*470*850*1030mm



型号 Model	规格 Specification
SUS-CB301-BU	830*460*540*850mm



型号 Model	规格 Specification
SUS-CB301-FS	830*460*540*850mm



型号 Model	规格 Specification
CB301-BU	830*460*540*850mm



型号 Model	规格 Specification
CB301-FS	830*460*540*850mm



型号 Model	规格 Specification
IB-201	2000*850*580mm



型号 Model	规格 Specification
IB-202	1880*900*700mm



型号 Model	规格 Specification
IB-200 SUS-00058	900*520*750mm 900*520*750mm

1. 可升降可以倾斜角度30度，有效防止婴儿吐奶、漏奶。室内移动方便，无噪音。
2. 高度透明的婴儿盆，大人方便观察宝宝的情况，方便母婴交流。
3. 底座护罩位槽设计可存放洗浴用品。
4. 颜色类型：粉色、蓝色、绿色。
5. 气动升降高度可调，红色调平范围850-1030mm。
6. 脚轮为直径80mm静音脚轮其中二只带刹，平稳无噪音。
1. It can be lifted and tilted at an angle of 30 degrees, effectively preventing babies from spitting and spilling milk. Convenient indoor movement, no noise.
2. The highly transparent baby basin makes it convenient for adults to observe the baby's condition and facilitate communication between mother and infant.
3. The groove design of the chassis shield can accommodate bath supplies.
4. Color type: pink, blue, green.
5. The pneumatic lifting height is adjustable, and the red adjustment range is 850-1030mm.
6. The casters have a diameter of 80mm, and two of them are equipped with brakes, stable and noiseless

手术转运车
TRANSFER TROLLEY

液压推車



型号Model	规格Specification
PC2002	2120*840*550-860mm

- 1. 车身整体镀锌钢管制成，外表静电粉末喷涂，坚实美观；
- 2. 床背板可选X光材质电木板，升降采用双气压升降系统；
- 3. 该车采用国际先进的中控刹车系统，防止翻轮使车运动稳定，可靠，轻巧；
- 4. 床身升降，倾斜及反倾斜由床头两侧的踏板控制，使用方便；
- 5. 床头床尾设有中央控制刹车踏板，底座采用PP材料一体成型，方便清洗；
- 6. 车面分体结构，上体采用大型油压杆支撑梁柱设计，床身不会摇晃；
- 7. 配合金全侧式护栏，输液架，引流沟；
- 8. 采用两个独立的液压泵，液压控制面板，升降导向轮、X射线、心肺复苏。
- 9. 配一张抗菌防水牛津布床罩以及不锈钢输液架一根。
- 10.尺寸：2120*840*550-860mm
- 11.承载能力：静载荷：250kg,安全工作载荷：135kg

- 1. The whole body is made of galvanized steel pipe, and the surface is electrostatic powder sprayed, which is solid and beautiful;
- 2. The back board of the bed is made of X-ray transparent material, and the lifting adopts a double air pressure lifting system;
- 3. The car adopts the international advanced central control braking system, and the dust-proof casters make the movement of the flat car stable, reliable and lightweight;
- 4. The lifting, tilting and anti-tilting of the bed are operated by the pedals on both sides of the head of the bed, which is easy to use;
- 5. There is a central control brake pedal at the head and tail of the bed, and the bottom cover is made of PP material, which is easy to clean;
- 6. The car surface has a split structure, and the upper body is designed with large hydraulic rods to support beams and columns, and the bed will not shake;
- 7. Equipped with aluminum alloy full-inverted guardrail, infusion stand, drainage ditch;
- 8. Adopt two independent hydraulic pumps, hydraulic control panel, lift guide wheel, x-ray, cardiopulmonary resuscitation.
- 9. Equipped with a bacteriostatic and waterproof Oxford cloth mattress and a stainless steel infusion stand.
- 10. Size: 2120*840*550-860mm
- 11. Bearing capacity: static load: 250kg, safe working load: 135kg

小液压升降平車



型号Model	规格Specification
PC2003	1910*640*550-960mm

- 1. 车架主体采用冷轧钢管，床面主体采用pp材料
- 2. 规格：1910*640*550-960mm
- 3. 车架结构稳固，推动灵活；整车可调节升降高度：650-960mm
- 4. 具备背板抬升功能，背板气压助力0-70度可调， CPR功能快速释放。
- 带一个可调节的不锈钢输液杆。
- 5. 采用8寸韧性好的方向中脚轮，防锈，高耐磨，静音，带有中心导向轮
- 6. 床面：由2块环保PP材料组合，配有病人捆绑索带2根，防止病人躁动不安，并配有防水床罩；具备一对可隐藏式环保PP护栏，强度高，耐碰撞，易清洗对患者安全有保障。
- 7. 配备安全合力250kg，配备整合于底座面板上的储物盒及
- 8. 气瓶槽设计，气气瓶槽直径105-115mm
- 9. 油泵：采用两个独立的液压泵

- 配置清单：
 - 1. 床体（含床面、床框、摇手、丝杆、输液杆插孔）
 - 2. 气瓶框架3、护栏（pp护栏）4. 脚轮（导向轮）
 - 5. 床框6. 输液杆7. 底座储物盘8. 油泵

- 1. The main body of the frame is made of cold-rolled steel pipe, and the main body of the bed is made of pp material
- 2. Specifications: 1910*640*550-960mm
- 3. The frame structure is stable and the driving is flexible; the whole vehicle can adjust the lifting height: 650-960mm
- 4. It has the function of lifting the back panel, the air pressure assist of the back panel is adjustable from 0 to 70 degrees, and the CPR function is quickly released.
- With an adjustable stainless steel infusion rod.
- 5. Using 8-inch universal central control casters with good stability, anti-rust, high wear resistance, mute, with a center guide wheel
- 6. Bed surface: Combination of 2 pieces of environmentally friendly PP materials, equipped with 2 patient binding belts to prevent the patient from restless
- Safety, and equipped with waterproof mattress; with a pair of hidden environmentally friendly PP guardrails, high strength, corrosion resistance, easy to use
- Cleaning enhances patient protection.
- 7. The safety load of the whole bed is 250kg, equipped with a storage tray integrated on the base cover and
- Oxygen cylinder slot design. Oxygen cylinder shelf diameter 105-115mm
- 8. Oil pump: Two independent hydraulic pumps are used

手摇平車



型号Model	规格Specification
IRFSC-1900	1930*640/730*540/840mm
PC2001	1930*640/730*540/840mm

- 1. 主要框架结构采用钢管制成，外表静电粉末喷涂，外形美观坚固；
- 2. 规格：1930*640/730*540/840mm
- 3. 护栏为两片式PP升降护栏，结实美观；
- 4. 手摇杆（螺杆配有离合装置）可调整床面高度，高度调节范围500-900mm
- 5. 转运车轮轮为4只6寸带制动磨面包轮，静音，稳定可靠，同时配导向轮装置，方便使用者控制车体行驶方向，一人可轻松操作，方便更理想；
- 6. 背部升降由气压弹簧控制，角度可0-75°可调；
- 7. 承重：静载荷（均布）>250kg，安全工作载荷>135kg；
- 8. 配一张抗菌防水牛津布床罩以及不锈钢输液架一根。

- 1. The main frame is made of steel tube, the surface is powder coated, the appearance is beautiful and firm;
- 2. Specification: 1930*640/730*540-840mm
- 3. Guardrail for two-piece PP lifting guardrail, solid and beautiful;
- 4. Hand crank (screw equipped with clutch device) can adjust the height of car surface, height adjustment range is 500-900mm
- 5. The casters of the transfer stretcher are 4 units of 6-inch bread wheels with brake, which are quiet, stable and reliable. At the same time, they are equipped with guide wheel device, which is convenient for users to control the direction of the vehicle body. One person can operate easily, which is more convenient and ideal.
- 6. The rise and fall of the bed is controlled by air pressure spring, and the Angle can be adjusted from 0° to 75°
- 7. Load bearing: static load (uniformly distributed) > 250kg, safe working load > 135kg;
- 8. Match with an antibacterial waterproof Oxford cloth mattress and a stainless steel infusion stand.

手术对接车



型号Model	规格Specification
OCT-36555	3650*650*(640/970)mm
DJ2001	3650*650*(640/970)mm

- 1. 车架主体采用优质铝合金材料，床面主体采用ABS材料
- 2. 标准配置为：每套包含一个床面和一个对接车架，外形美观大方
- 3. 规格：3655mm*650mm*640-970mm
- 4. 车架结构稳固，推动灵活；两车架均可调节升降高度：640-970mm
- 5. 床面：背部可升降角度0-70°±5°，带一个可调节的不锈钢输液杆
- 6. 对接轨道保证床面前后运动平稳、坚固、耐磨、静音、可靠
- 7. 床面移动至另一台车上，可自动锁紧，并设有保险装置
- 8. 采用5寸韧性好的方向中脚轮，防锈，高耐磨，静音，带有导向轮
- 9. 手摇杆：具备自锁功能，操作轻便灵活，静音耐磨，具备双向向自保护设计
- 10. 床面：具备pp护栏，一个活动床腿，方便将病人过渡到病床

- 配置清单：
 - 1. 床体（每套包含一个床面和一个对接车架，床面、床框、摇手、丝杆、输液杆插孔）
 - 2. 护栏（pp护栏）
 - 3. 脚轮（导向轮）
 - 4. 床腿
 - 5. 输液杆

- 1. The main frame is made of high-quality aluminum alloy, and the main body of the bed plate is made of ABS material
- 2. Standard configuration is: each set contains a bed plate and two connection frames.
- 3. Specification: 3655 mm * 650 mm * 640-970 mm
- 4. Stable frame structure, flexible to move; Both frames can be adjusted lifting height: 640-970mm
- 5. Bed surface: the back section can be raised and lowered from 0° to 70° ± 5° with an adjustable stainless steel infusion rod
- 6. Docking orbit must ensure the motion of bed stable, firm, smooth, quiet and reliable
- 7. The bed can be automatically locked and equipped with safety device when the bed is moved to another frame
- 8. 5 "universal central casters with good stability, rust proof, durable, quiet, with a guide wheel
- 9. Hand rocker: with self-lubricating function, easy to operate, quiet and wear-resistant, with bi-directional in place self-protection design
- 10. Bed surface: Equipped with PP guardrail and a movable mattress, it is convenient to transfer the patient to the bed
- Configuration list:
 - 1. Bed body (each set contains one bed surface and two bed frames, bed plate, rocker, screw rod and infusion rod jacks)
 - 2. Guardrail (PP guardrail)
 - 3. Caster (guide wheel)
 - 4. the mattress
 - 5. Infusion pole

手术转运车
TRANSFER TROLLEY

手摇平车



型号 Model	规格 Specification
IRFSC-1930	1950*660*750mm
PC2001	1950*660*750mm

- 规格: 1930*640*560-840mm
- 1. 主要框架结构采用钢管制成。外表静电粉末喷涂。外形美观坚固;
- 2. 护栏为四片式PP升降护栏。结实美观;
- 3. 手摇柄 (螺栓配有离合装置) 可调整床面高度。高度调节范围560-840mm
- 4. 转运车脚轮为4.6寸中轮轮。静音。稳定可靠。同时配有导向轮装置。方便使用者控制车体运行方向。一人可轻松操作。方便更理想;
- 5. 背部升降由气压弹簧控制。角度可0-75°可调;
- 6. 承重: 静载荷 (均布) >250kg。安全工作载荷>135kg;
- 7. 配一张防水牛津布床垫以及不锈钢输液架一根。
- 配置清单:
- 1. 床体 (每套包含一个床面和一个可对接车架。床面。床框。摇手。丝杆。输液杆插孔)
- 2. 护栏 (pp护栏*4)
- 3. 脚轮 (导向轮)
- 4. 床垫*1
- 5. 输液杆*1

Specifications: 1930*640*560-840mm

- The main frame structure is made of steel pipes, with a static powder coating on the outside, which is beautiful and strong;
- The fence is a four-piece PP lifting fence, solid and beautiful;
- The hand crank (screw with clutch device) can adjust the height of the bed surface, with a height adjustment range of 560-840mm;
- The caster wheels of the transfer cart are 4 pieces of 6-inch central control wheels, silent, stable and reliable, and are equipped with guide wheel devices which are convenient for the user to control the direction of the cart body, and one person can operate easily, which is more convenient and ideal;
- The back lifting is by an air pressure spring, and the angle can be adjusted from 0-75°;
- Load bearing: static load (uniformly distributed) 250kg; safe working load >135kg;
- Equipped with a waterproof Oxford cloth mattress and a stainless steel infusion stand.

- list:
- 1. Bed body (each set contains one bed surface and two connectable carts, bed surface, bed frame, hand crank, screw rod, infusion rod socket)
- 2. Fence (PP Fence)
- 3. Casters (guide wheels)
- 4. Mattress
- 5. Infusion rod

型号 Model	规格 Specification
IRFSC-1930	1950*660*750mm
PC2001	1950*660*750mm

- 规格: 1930*640*560-840mm
- 1. 主要框架结构采用钢管制成。外表静电粉末喷涂。外形美观坚固;
- 2. 护栏为四片式PP升降护栏。结实美观;
- 3. 手摇柄 (螺栓配有离合装置) 可调整床面高度。高度调节范围560-840mm
- 4. 转运车脚轮为4.6寸中轮轮。静音。稳定可靠。同时配有导向轮装置。方便使用者控制车体运行方向。一人可轻松操作。方便更理想;
- 5. 背部升降由气压弹簧控制。角度可0-75°可调;
- 6. 承重: 静载荷 (均布) >250kg。安全工作载荷>135kg;
- 7. 配一张防水牛津布床垫以及不锈钢输液架一根。
- 配置清单:
- 1. 床体 (每套包含一个床面和一个可对接车架。床面。床框。摇手。丝杆。输液杆插孔)
- 2. 护栏 (pp护栏*4)
- 3. 脚轮 (导向轮)
- 4. 床垫*1
- 5. 输液杆*1

Specifications: 1930*640*560-840mm

- The main frame structure is made of steel pipes, with a static powder coating on the outside, which is beautiful and strong;
- The fence is a four-piece PP lifting fence, solid and beautiful;
- The hand crank (screw with clutch device) can adjust the height of the bed surface, with a height adjustment range of 560-840mm;
- The caster wheels of the transfer cart are 4 pieces of 6-inch central control wheels, silent, stable and reliable, and are equipped with guide wheel devices which are convenient for the user to control the direction of the cart body, and one person can operate easily, which is more convenient and ideal;
- The back lifting is by an air pressure spring, and the angle can be adjusted from 0-75°;
- Load bearing: static load (uniformly distributed) 250kg; safe working load >135kg;
- Equipped with a waterproof Oxford cloth mattress and a stainless steel infusion stand.

- list:
- 1. Bed body (each set contains one bed surface and two connectable carts, bed surface, bed frame, hand crank, screw rod, infusion rod socket)
- 2. Fence (PP Fence)
- 3. Casters (guide wheels)
- 4. Mattress
- 5. Infusion rod

手术转运车
TRANSFER TROLLEY

液压推车



型号 Model	规格 Specification
IRFSC-1930	1950*660*750mm
PC2001	1950*660*750mm

- 1. 规格: 全长2150mm, 全宽830mm
- 床板长1880mm, 床板宽620mm, 高低升降560-890mm, 背部升降0-90°
- 膝部升降0-40°, 倾斜调节-18°-18°
- 2. 安全工作载荷: 220KG;
- 3. 背部升降系统: 采用静音双气弹簧控制, 承重强稳定性好。
- 4. 高低升降系统: 采用国产优质液压油缸控制, 质量更稳定。液压缸外侧有ABS注塑而成的5个圆形防撞保护套, 整体颜色协调搭配, 不易积灰, 便于清洗。
- 5. 床框: 采用>4mm铝型材, 强度高, 不变形。
- 6. 底座: 采用优质材料有螺栓加工而成。
- 7. 护栏板: PP材质成型两侧护栏板, 高度300mm, 安全防护更好, 也可以水平固定, 增加床体宽度。让输液者的手臂有舒适的放置处; 并具有双重安全锁进行锁定, 防止误操作提高了操作的安全性。
- 8. 护栏板上方有角度显示, 方便护理时了解背部升起的高度; 两侧护栏板中间有凹槽, 防止导管滑落。方便引流液。护栏板一边都由5个压铸铝, 11个不锈钢铆钉铆接而成, 强度高。
- 9. 脚轮: 采用中锁锁四个直径200mm的脚轮。推车四角都有脚轮控制系统。一脚制动, 四轮同时锁定。
- 10. 中控制车运动杆采用一体化面管成型, 保证更高的强度。
- 11. 独立的中心第五轮系统: 推车的两侧都安装有控制踏板, 中心第五轮收起时即自由行进; 使用时, 即“直行”状态 (第五轮离地时间>20mm, 通过性更好), 克服搬运过程中的惯性作用力, 有效地控制前进方向, 使搬运过程更加安全。
- 12. 床体下有一体式托盘, 可放置瓶水瓶, 使用方便。托盘能承重10KG。
- 13. 床体侧下方两侧均配有输液架收通, 可固定输液架。
- 14. 床底: 采用面料表面防水处理, 易于清洗。装有拉链, 外面面料可水洗。7公分的海绵垫舒适。
- 15. 床体四周设有直径>100mm的防撞轮, 防撞外观, 防止在推行过程中发生碰撞可以起到保护作用。
- 16. 推行把手: 床头设有U型推行把手, 表面进行漫波处理, 触感舒适。在不用时可以折叠放下, 便于医护人员进行急救施救。床尾设有U型把手, 提升美观度。

- 配置清单:
- 1. 床本体 1套; 2. 一体式护栏 2片; 3. 中控制脚踏板 4只; 4. 中控制定踏板 4套; 5. 中心第五轮 1套; 6. 整体升降液压油缸 2个; 7. 背部升降气压弹簧 2个; 8. 脚踏手尾脚 1个 9. 膝部底部托盘 1个; 10. 输液架 1根; 11. 标准输液架插孔 4个; 12. 防水床垫 1张; 13. 记录表 (选配) 1个;

- Specifications: Overall length 2150mm, overall width 830mm
- Bedboard length 1880mm, bedboard width 620mm, high and low lifting 560-890mm, back lifting 0-90°
- Knee lifting 0-40°, tilt adjustment -18°-18°
- Safe working load: 220KG.
- Back lifting system: Silent double air spring control is used, which has strong load-bearing and good stability.
- High and low lifting system: The domestic high-quality hydraulic cylinder is used for control, and the quality is more stable. There are 5 round oil cylinder protection sleeves made of ABS injection on the outer side of the hydraulic cylinder, the overall color matching is harmonious, it is not easy to accumulate dust, and it is convenient to clean.
- Bedboard: >4mm wear-resistant material is used, the strength is higher, and it does not deform.
- Frame: It is made of high-quality steel pipe bending and welding.
- Handrail board: PP resin is used to form two handrail boards on both sides, the height is 300mm, the safety protection is better, and it can also be fixed horizontally to increase the width of the bed body, so that the arm of the person receiving infusion has a comfortable place to put, and it is equipped with double safety locks for locking, to prevent misoperation and improve the safety of operation.
- The handrail board is equipped with an angle display, which is convenient to understand the angle of the back when nursing; there is a groove in the middle of the two handrail boards on both sides to prevent the catheter from slipping off, and it is convenient to turn the infusion. Each side of the handrail is riveted by 5 die-cast aluminum and 11 stainless steel rivets, which has high strength.
- Caster: Four 200mm diameter casters are used, and there is a caster control system at each corner of the cart, one foot breaks, and all four wheels are fixed at the same time.
- The central control braking linkage rod adopts integrated rod pipe forming, which ensures higher strength.
- Independent center fifth wheel system: There is a control pedal installed on both sides of the cart, and the center fifth wheel is free to move when retracted; when in use, it is in a "straight" state (the fifth wheel is raised >20mm from the ground, and the passability is better), overcoming the inertial force during transportation, effectively controlling the direction of advance and making transportation process safer.
- There is an integrated tray under the bed body, which can place an oxygen cylinder, convenient to use, and the tray can bear a weight of 10KG.
- Below the bed body, there are two sides of the infusion stand storage rack, which can fix and collect the infusion stand.
- Bed mat: The surface of the fabric is treated with waterproof treatment, which is easy to clean, and equipped with zippers, the outer fabric can be washed with water, and the 7cm sponge is comfortable to lie on.
- The bed body is equipped with >100mm diameter anti-collision wheels around it, the appearance is beautiful, and it can play a protective role to prevent collisions during the driving process.
- The pushing handle: There is an L-shaped pushing handle at the head of the bed, the surface is treated by dipping, the grip is comfortable, it can be folded down when not in use, and it is convenient for medical staff to carry out first aid measures. There is a U-shaped handle at the end of the bed to improve the appearance.

- Configuration list:
- Bed body 1 unit;
 - Integrated guardrail 2 pieces;
 - Central control casters 4;
 - Central control locking pedal 4 sets;
 - Center fifth wheel 1 set;
 - Integrated lifting hydraulic cylinder 2 pieces;
 - Lifting pneumatic spring 2 pieces;
 - Knee hand crank 1 piece;
 - Integrated bottom tray 1 piece;
 - Infusion stand 1 piece;
 - Standard infusion stand plug 4 pieces;
 - Waterproof mattress 1 piece;
 - Recording table (optional) 1 piece;

手术转运车
TRANSFER TROLLEY

液压推车



- 1. 规格：全长2150mm，全宽830mm
床板长1880mm，床板宽620mm，高低升降560-890mm，背部升降0~90°
膝部升降0~40°，倾斜调节-18°~18°。
- 2. 安全工作载荷：220KG。
- 3. 背部升降系统：采用静音双气弹簧控制，承重强稳定性好。
- 4. 底座升降系统：采用国产优质液压缸控制，质量更稳定，液压缸外侧有ABS注塑而成的5个圆形油缸保护套筒，整体颜色搭配协调，不易积灰，便于清洗。
- 5. 床板：采用4mm钛合金材料，强度高，不变形。
- 6. 框架：采用优质钢材弯管焊接加工而成。
- 7. 护栏板：PP树脂成型两侧护栏板，高度300mm，安全防护性更好，也可以水平固定，增加床体宽度，让输液者的手臂有舒适的放置处；并具有双重安全锁进行锁定，防止误操作造成操作的安全性。
- 8. 护栏板上设有角度显示，方便护理时了解背部升起的角度；两侧护栏板中间有防撞，防止导管滑落，方便输液引流。护栏每一边都由5个压铸铝，11个不锈钢铆钉铆接而成，强度高。
- 9. 脚轮：采用中控锁四个直径200mm的脚轮，推车四角都有脚轮控制系统，一脚制动，四轮同时固定。
- 10. 中控制车连杆杆采用一体化圆管成型，保证更高的强度。
- 11. 独立的中控第五轮系统：推车的两侧都安装有控制提杆，中心第五轮离地时间>20mm，通过性更好，克服搬运过程中的惯性作用力，有效地控制前进方向，使搬运过程更加安全。
- 12. 床体下有一体式托盘，可放置氧气瓶，使用方便，托盘能承重10kg。
- 13. 床体侧下方两侧均配有输液架收纳架，可固定收藏输液架。
- 14. 床架：采用面料表面防水处理，易于清洗，装有拉绳，外部面料可水洗，7公分的海绵躺卧舒适。
- 15. 床体侧边设有直径≥100mm的防撞轮，外观造型美观，防止在推行过程中发生碰撞可以起到防护作用。
- 16. 推行把手：床头设有L型推行把手，表面进行漫塑处理，触感舒适，在不使用时可以折叠放下，便于医护人员进行急救措施，床尾设有U型把手，提升美观度。

- 配置清单：
1. 床本体 1台； 2. 一体式护栏 2块； 3. 中控制脚轮 4只； 4. 中控制定踏板 4套； 5. 中心第五轮 1套； 6. 整体升降液压油缸 2个； 7. 背部升降气压弹簧 2个；
8. 膝部手柄箱 1个 9. 整体式底部托盘 1个； 10. 输液架 1根； 11. 标准输液架插孔 4个； 12. 防水床垫 1张； 13. 记录表（选配）1个；

1. Specifications: Overall length 2150mm, overall width 830mm
Bedboard length 1880mm, bedboard width 620mm, high and low lifting 560-890mm, back lifting 0~90°
Knee lifting 0~40°, tilt adjustment -18°~18°
2. Safe working load: 220KG.
3. Back lifting system: Silent double air spring control is used, which has strong load-bearing and good stability.
4. High and low lifting system: The domestic high-quality hydraulic cylinder is used for control, and the quality is more stable. There are 5 round oil cylinder protection sleeves made of ABS injection on the outer side of the hydraulic cylinder, the overall color matching is harmonious, it is not easy to accumulate dust, and it is convenient to clean.
5. Bedboard: >4mm wear-resistant material is used, the strength is higher, and it does not deform.
6. Frame: It is made of high-quality steel pipe bending and welding.
7. Handrail board: PP resin is used to form two handrail boards on both sides, the height is 300mm, the safety protection is better, and it can also be fixed horizontally to increase the width of the bed body, so that the arm of the person receiving infusion has a comfortable place to put; and it is equipped with double safety locks for locking, to prevent misoperation and improve the safety of operation.
8. The handrail board is equipped with an angle display, which is convenient to understand the angle of the back when nursing; there is a groove in the middle of the two handrail boards on both sides to prevent the catheter from slipping off, and it is convenient to drain the infusion. Each side of the handrail is riveted by 5 die-cast aluminum and 11 stainless steel rivets, which has high strength.
9. Caster: Four 200mm diameter casters are used, and there is a caster control system at each corner of the cart, one foot breaks, and all four wheels are fixed at the same time.
10. The central control braking linkage rod adapts integrated round pipe forming, which ensures higher strength.
11. Independent center fifth wheel system: There is a control pedal installed on both sides of the cart, and the center fifth wheel is free to move when retracted; when in use, it is in a "straight" state (the fifth wheel is raised >20mm from the ground, and the passing the inertial force during transportation, effectively controlling the direction of advance, making the transportation process safer.
12. There is an integrated bed, under the bed body, which can place an oxygen cylinder, convenient to use, and the tray can bear a weight of 10kg.
13. Below the bed body, there are two sides of the infusion stand storage rack, which can fix and collect the infusion stand.
14. Bed mat: The surface of the fabric is treated with waterproof treatment, which is easy to clean, and equipped with zippers, the outer fabric can be washed with water, and the 7cm sponge is comfortable to lie on.
15. The bed body is equipped with >100mm diameter anti-collision wheels around it, the appearance is beautiful, and it can play a protective role to prevent collisions during the driving process.
16. The pushing handle: There is an L-shaped pushing handle at the head of the bed, the surface is treated by dipping, the grip is comfortable, it can be folded down when not in use, and it is convenient for medical staff to carry out first aid measures. There is a U-shaped handle at the end of the bed to improve the appearance.
Configuration list:
1. Bed body 1 unit; 2. Integrated guardrail 2 pieces; 3. Central control casters 4; 4. Central control locking pedal 4 sets; 5. Center fifth wheel 1 set;
6. Integrated lifting hydraulic cylinder 2 pieces; 7. Lifting pneumatic spring 2 pieces; 8. Knee hand crank 1 piece; 9. Integrated bottom tray 1 piece;
10. Infusion stand 1 piece; 11. Standard infusion stand plug 4 pieces; 12. Waterproof mattress 1 piece; 13. Recording table (optional 1 piece);

手术转运车
TRANSFER TROLLEY

不锈钢折叠担架车



型号Model	规格Specification
HFSC-1930	1950*660*750mm
PC2001	1950*660*750mm

规格：展开尺寸：1900×700×790 mm 折叠尺寸：465×700×1150 mm

- (含护栏。尺寸公差±5mm)
材质：SUS304 不锈钢 + PU 软垫
- 1. 担架车四立柱φ25.4×1.2mm（实际）304 不锈钢圆管。
 - 2. 担架面为焊接框架式。担架面上配 PU 软垫；
 - 3. 担架车两侧共配有四只提拉式不锈钢护栏；
 - 4. 担架车底部配有四只φ125mm 万向静音脚轮，带刹。
 - 5. 车体净重：33.6 KG
 - 6. 包装尺寸：500 X 750 X 1200 mm, 34 KG。

- Specifications:
Expanded size: 1900×700×790 mm
Folded size: 465700×1150 mm (including guardrails, size tolerance ±5mm)
Material: SUS304 stainless steel PU soft cushion
and configuration:
1. Four vertical columns of the stretcher cart φ25.4×1.2mm (actual thickness) 304 stainless steel round.
2. The stretcher surface is a welded frame style, with a PU soft cushion on the stretcher surface;
3. The stretcher cart is equipped with pull-type stainless steel guardrails on both sides;
4. The bottom of the stretcher cart is equipped with four φ125mm silent casters, brakes.
5. Vehicle net weight: 33.6 KG
6. Packaging size: 500 X 750 X 120 mm. 34 KG.

型号Model	规格Specification
JH-SL	1900*550*880mm

急救担架



急救担架
RESCUE STRETCHER急救担架
Rescue Stretcher

型号Model	规格Specification
JH-3B3	1900*550*920mm

急救担架
Rescue Stretcher

型号Model	规格Specification
JH-3E	1980*550*950mm



不锈钢四小轮担架车

急救担架
RESCUE STRETCHER

型号Model	规格Specification
SUS-187057	1950*660*750mm
ET85001	1950*660*750mm

- 304材质，厚度1.0mm，采用海绵床垫；
- 规格：1950*660*750mm
- 活动输液架一只。
- 底部配塑料篮一只。
- 万向防滑静音轮，其中两只带有刹车



- Stainless steel stretcher with four casters
- 304 stainless steel frame, 1.0mm thickness.
- with mattress,
- Size: 1950*660*750mm
- Removable IV Pole.
- bottom with plastic basket,
- four swivel casters, non-slip;
- two with brakes.

不锈钢两大轮两小轮担架车

型号Model	规格Specification
SUS-187057DL	1950*660*750mm
CT85001	1950*660*750mm

- 304材质，厚度1.0mm，部分厚度1.2mm，采用海绵床垫；
- 规格：1950*660*750mm
- 活动输液架一只。
- 底部配塑料篮一只。
- 万向防滑静音轮，两只定向摩托车轮



- Stainless steel stretcher with four casters
- Two big wheels, two casters
- 304 stainless steel frame, 1.0mm and 1.2mm thickness.
- with mattress,
- Size: 1950*660*750mm
- Removable IV Pole.
- bottom with plastic basket,
- two swivel casters, non-slip; two wheels.

陪护椅
ACCOMPANY CHAIR



型号 Model	规格 Specification
E01	650*620*420mm 1900*620*580mm



型号 Model	规格 Specification
E-03	340*270*440mm



型号 Model	规格 Specification
E010	660*680*410/930mm 1860*680*400mm



型号 Model	规格 Specification
E-09	770*680*1080mm



型号 Model	规格 Specification
E-06-1	770*680*1080mm



型号 Model	规格 Specification
E-02	820*700*1020mm



型号 Model	规格 Specification
C15	1760*420*780mm



型号 Model	规格 Specification
C12	1760*420*780mm



型号 Model	规格 Specification
C11	1900*600*650mm



型号 Model	规格 Specification
DL-02	380*510/710mm



型号 Model	规格 Specification
DL-07	580*545*700/900mm



型号 Model	规格 Specification
DL-15	400*450*440/750mm



型号 Model	规格 Specification
DL-26	1200*600*750mm

诊查床 输液架
Examination bed, infusion stand



型号 Model	规格 Specification
C08	1900*600*650mm



型号 Model	规格 Specification
C10	1900*600*650mm



型号 Model	规格 Specification
C03	1900*600*650mm



型号 Model	规格 Specification
C18	1950*600*650mm



型号 Model	规格 Specification
F03	560*1300*2100mm



型号 Model	规格 Specification
F15	535*535*630/1508/2000mm



型号 Model	规格 Specification
F18	535*535*630/1508/2000mm



型号 Model	规格 Specification
F06	560*1300*2100mm



型号 Model	规格 Specification
F016-1	380*380*1280-2130mm



型号 Model	规格 Specification
F016-2	380*380*1280-2130mm



型号 Model	规格 Specification
F08	560*1300*2100mm



型号 Model	规格 Specification
F06	560*1300*2100mm



型号 Model	规格 Specification
F10	550*1200*2100mm



型号 Model	规格 Specification
F11	560*1300*2100mm



型号 Model	规格 Specification
F13	560*1300*2100mm



型号 Model	规格 Specification
F14	560*1300*2100mm

器械柜 EQUIPMENT CABINET



型号 Model 规格 Specification
YH-9001 900*400*1800mm



型号 Model 规格 Specification
YH-9002 900*400*1800mm



型号 Model 规格 Specification
YH-9003 900*400*1800mm



型号 Model 规格 Specification
YH-9005 900*400*1800mm



型号 Model 规格 Specification
YH-9005 900*400*1800mm



型号 Model 规格 Specification
YH-9007 900*400*1800mm



型号 Model 规格 Specification
YH-9008 900*400*1800mm



型号 Model 规格 Specification
YH-9009 900*400*1800mm



型号 Model 规格 Specification
YH-9010 900*400*1800mm



型号 Model 规格 Specification
YH-9011 900*400*1800mm



型号 Model 规格 Specification
MC-8505LJ1 850*700*900mm



型号 Model 规格 Specification
MC-8505LJ2 850*700*900mm



型号 Model 规格 Specification
YH-9012 900*400*780mm



型号 Model 规格 Specification
YH-9015 900*400*750mm

器械柜 EQUIPMENT CABINET

箱体为冷钢喷漆材质

- 台面304不锈钢
- 上部可视玻璃柜门/门内隔板/带锁
- 下部为ABS四小二中大抽屉/带锁
- 四只双滚轮静音 (其中二只带刹车)
- The box is made of cold steel spray plastic material
- Countertop 304 stainless steel
- Upper visible glass cabinet door/inner partition/with lock
- The lower part is ABS four small, two middle, and four large drawers/with locks
- Four double-sided soft wheels (two with brakes)



ABS抽屉配置三折金属静音导轨
ABS drawer with three fold metal soft guide rail



型号 Model 规格 Specification
MT-1000FS 1000*500*250*1780mm




型号 Model 规格 Specification
MT-1000FS 1000*500*250*1780mm



型号 Model 规格 Specification
MT-1000BU 1000*500*250*1780mm



型号 Model 规格 Specification
YH-44 500*900*1850mm



型号 Model 规格 Specification
YH-45 500*900*1850mm



型号 Model 规格 Specification
YH-49 500*900*1850mm



型号 Model 规格 Specification
YH-50 900*400*1850mm



型号 Model 规格 Specification
YH-90016 900*400*1000mm



型号 Model 规格 Specification
YH-41 900*450*650mm



型号 Model 规格 Specification
MC-8505LJ3 850*700*600mm



型号 Model 规格 Specification
MC-8505LJ6 850*350*600mm