

ZHONGBAI PROMOTIONAL BROCHURE



Electric ICU Bed

Seven-Function With Weighing System

DL-EFF-09


Nurse Control Panel



Hand Remote Control




Foot Control Pedal



Side Brake Control System



Manual CPR



Angle Indicator



Specification

Overall Size	2200*1060*540-840mm
Back Section up/down	0-73°(±5°)
Leg Section up/down	0-43°(±5°)
Tre/Reverse Tre	0-18°(±3°)
Left Lateral Tilt	0-16°(±3°)
Right Lateral Tilt	0-20°(±3°)
High to Low	540-840mm(±10mm)
Max Load	240kg

Configuration


☆ Bed Body	☆ Nurse Control Panel
☆ Drop-Down PP Guardrail	☆ Hand Remote Control
☆ PP Head&Foot board	☆ Foot Control Pedal
☆ Side Brake Control System	☆ Manual/Electric CPR
☆ Angle Indicator	☆ With Weighing Scale System

Optional configuration

☐ Mattress	☐ IV Pole
☐ OEM Headboard/Footboard	☐ IV Pole Prevision
☐ OEM Siderail	☐ Monkey Pull
☐ Dining Table	☐ Beside Cabinet
☐ Emergency stop button	☐ Overbed Table
☐ Back Battery	

Electric ICU Bed

Five-Function With Weighing System

DL-EFF-06


Touching Screen
At The Foot Board



Hand Remote Control



Insert Rail Controller



Emergency stop button



Manual CPR



Angle Indicator



Specification

Overall Size	2160*1050*430-690mm
Back Section up/down	0-75°(±5°)
Leg Section up/down	0-30°(±5°)
Reverse Trendelenburg	0-13°(±3°)
Trendelenburg	0-13°(±3°)
High to Low	430-690mm(±10mm)
Max Load	240kg

Configuration


☆ Bed Body	☆ Hand Remote Control
☆ Insert Rail Controller	☆ Emergency stop button
☆ ARS Head&Foot board	☆ Manual/Electric CPR
☆ Dual Caster	☆ With Weighing Scale System
☆ Angle Indicator	
☆ Touching Screen At The Foot Board	

Optional configuration

☐ Mattress	☐ IV Pole
☐ OEM Headboard/Footboard	☐ IV Pole Prevision
☐ OEM Siderail	☐ Monkey Pull
☐ Dining Table	☐ Beside Cabinet
☐ Backup Battery	☐ Overbed Table
☐ Nurse Control Panel	

Electric ICU Bed

Two Column Seven-Function Bed

DL-EFF-04


Touching Screen
At The Foot Board



Hand Remote Control




Foot Control Pedal



Insert Rail Controller



Manual CPR



Angle Indicator



Specification

Overall Size	2220*1120*555-855mm
Back Section up/down	0-75°(±5°)
Leg Section up/down	0-33°(±5°)
Tre/Reverse Tre	0-15°(±3°)
Left/Right Lateral Tilt	0-20°(±3°)
High to Low	555-855mm(±10mm)
Max Load	240kg

Configuration

☆ Bed Body	☆ Hand Remote Control
☆ Drop-Down PP Guardrail	☆ Foot Control Pedal
☆ PP Head&Foot board	☆ Manual/Electric CPR
☆ Back Pressure Relief Design	☆ Insert Rail Controller
☆ Side Brake Control System	☆ Angle Indicator
☆ Emergency stop button	☆ Back Battery

Optional configuration

☐ Mattress	☐ IV Pole
☐ OEM Headboard/Footboard	☐ IV Pole Prevision
☐ OEM Siderail	☐ Monkey Pull
☐ Dining Table	☐ Beside Cabinet
☐ Nurse Control Panel	☐ Overbed Table

Electric ICU Bed

Two Column Five-Function Bed

DL-EFF-03


Specification

Overall Size	2160*1110*545-855mm
Back Section up/down	0-77°(±5°)
Leg Section up/down	0-33°(±5°)
Reverse Trendelenburg	0-15°(±3°)
Trendelenburg	0-15°(±3°)
High to Low	545-855mm(±10mm)
Max Load	240kg

Configuration

☆ Bed Body	☆ Hand Remote Control
☆ ABSGuardrail	☆ Side Brake Control System
☆ ABS Head&Foot board	☆ Angle Indicator


Optional configuration

☐ Mattress	☐ IV Pole
☐ OEM Headboard/Footboard	☐ IV Pole Prevision
☐ OEM Siderail	☐ Monkey Pull
☐ Dining Table	☐ Beside Cabinet
☐ Manual/Electric CPR	☐ Overbed Table
☐ Nurse Control Panel	☐ Backup Battery

Electric ICU Bed

Five-Function With Insert Rail Controller

DL-EFF-10A



Specification

Overall Size	2160*1050*425-815mm
Back Section up/down	0-65°(±5°)
Leg Section up/down	0-30°(±5°)
Reverse Trendelenburg	0-15°(±3°)
Trendelenburg	0-15°(±3°)
High to Low	425-815mm(±10mm)
Max Load	240kg

Configuration

☆ Bed Body	☆ Hand Remote Control
☆ Drop-Down PP Guardrail	☆ Insert Rail Controller
☆ PP Head&Foot board	☆ Manual/Electric CPR
☆ Dual Caster	☆ Emergency stop button
☆ Back Battery	☆ Angle Indicator


Optional configuration

☐ Mattress	☐ IV Pole
☐ OEM Headboard/Footboard	☐ IV Pole Prevision
☐ OEM Siderail	☐ Monkey Pull
☐ Dining Table	☐ Beside Cabinet
☐ Nurse Control Panel	☐ Overbed Table
☐ Central Brake Wheel	

Electric ICU Bed

Five-Function Bed

DL-EFF-10B



Anti-collision wheel



Hand Remote Control



Emergency stop button



Dual Caster



Manual CPR



Angle Indicator



Specification

Overall Size	2160*1050*425-815mm
Back Section up/down	0-65°(±5°)
Leg Section up/down	0-30°(±5°)
Reverse Trendelenburg	0-15°(±3°)
Trendelenburg	0-15°(±3°)
High to Low	425-815mm(±10mm)
Max Load	240kg

Configuration


☆ Bed Body	☆ Hand Remote Control
☆ Drop-Down PP Guardrail	☆ Manual/Electric CPR
☆ PP Head&Foot board	☆ Emergency stop button
☆ Dual Caster	☆ Angle Indicator
☆ Back Battery	

Optional configuration

☐ Mattress	☐ IV Pole
☐ OEM Headboard/Footboard	☐ IV Pole Prevision
☐ OEM Siderail	☐ Monkey Pull
☐ Dining Table	☐ Beside Cabinet
☐ Nurse Control Panel	☐ Overbed Table
☐ Central Brake Wheel	

Electric ICU Bed

Six-Function With Full-body X-ray Capability

DL-EFF-13


Hand Remote Control



HPL Board With Full-body X-ray



Central Brake Wheel



Emergency stop button



Manual CPR



Angle Indicator



Specification

Overall Size	2190*1090*435-765mm
Back Section up/down	0-64°(±5°)
Leg Section up/down	0-54°(±5°)
Reverse Trendelenburg	0-12°(±3°)
Trendelenburg	0-12°(±3°)
High to Low	435-765mm(±10mm)
Max Load	240kg

Configuration

☆ Bed (HPL Board)	☆ Hand Remote Control
☆ Drop-Down PP Guardrail	☆ Emergency stop button
☆ PP Head&Foot board	☆ Manual/Electric CPR
☆ Central Brake Wheel	☆ Full-body X-ray
☆ Angle Indicator	


Optional configuration

☐ Mattress	☐ IV Pole
☐ OEM Headboard/Footboard	☐ IV Pole Prevision
☐ OEM Siderail	☐ Monkey Pull
☐ Dining Table	☐ Beside Cabinet
☐ Back Battery	☐ Overbed Table
☐ Weighing System	

Electric ICU Bed

Five-Function Bed

DL-EFF-12



Specification

Overall Size	2205*1110*460-835mm
Back Section up/down	0-65°(±5°)
Leg Section up/down	0-30°(±5°)
Reverse Trendelenburg	0-12°(±3°)
Trendelenburg	0-12°(±3°)
High to Low	460-835mm(±10mm)
Max Load	240kg

Configuration

☆ Bed Body	☆ Hand Remote Control
☆ Drop-Down PP Guardrail	☆ Side Brake Control System
☆ PP Head&Foot board	☆ Manual/Electric CPR
☆ Back Pressure Relief Design	☆ Angle Indicator
☆ Back Battery	


Optional configuration

☐ Mattress	☐ IV Pole
☐ OEM Headboard/Footboard	☐ IV Pole Prevision
☐ OEM Siderail	☐ Monkey Pull
☐ Dining Table	☐ Overbed Table
☐ Nurse Control Panel	☐ Beside Cabinet
☐ Emergency Stop Button	

Electric ICU Bed

Five-Function Bed

DL-EFF-02



Back Rest



Leg Rest



Lie flat



Reverse Trendelenburg



Trendelenburg



Height Adjustment



Specification

Overall Size	2160*1110*400-720mm
Back Section up/down	0-82°(±5°)
Leg Section up/down	0-47°(±5°)
Reverse Trendelenburg	0-13°(±3°)
Trendelenburg	0-12°(±3°)
High to Low	400-720mm(±10mm)
Max Load	240kg

Configuration


☆ Bed Body	☆ Hand Remote Control
☆ ABS Guardrail	☆ Central Brake Wheel
☆ ABS Head&Foot board	☆ Electric CPR
☆ Emergency Stop Button	☆ Angle Indicator

Optional configuration

☐ Mattress	☐ IV Pole
☐ OEM Headboard/Footboard	☐ IV Pole Prevision
☐ OEM Siderail	☐ Monkey Pull
☐ Dining Table	☐ Beside Cabinet
☐ Manual CPR	☐ Overbed Table
☐ Nurse Control Panel	☐ Backup Battery

Electric ICU Bed

Five-Function Bed

DL-EFF-07


Back Rest



Leg Rest



Lie flat



Reverse Trendelenburg



Trendelenburg



Height Adjustment



Specification

Overall Size	2180*1120*425-815mm
Back Section up/down	0-65°(±5°)
Leg Section up/down	0-30°(±5°)
Reverse Trendelenburg	0-15°(±3°)
Trendelenburg	0-15°(±3°)
High to Low	425-815mm(±10mm)
Max Load	240kg

Configuration

☆ Bed Body	☆ Nurse Control Panel
☆ ABS Guardrail	☆ Hand Remote Control
☆ ARS Head&Foot board	☆ Dual Caster
☆ Back Pressure Relief Design	☆ Manual/Electric CPR
☆ Backup Battery	☆ Angle Indicator

Optional configuration

☐ Mattress	☐ IV Pole
☐ OEM Headboard/Footboard	☐ IV Pole Prevision
☐ OEM Siderail	☐ Monkey Pull
☐ Dining Table	☐ Overbed Table
☐ Side Brake Control System	☐ Beside Cabinet
☐ Emergency Stop Button	

Electric Hospital Bed

Five-Function Bed



DL-EFF-01A



• Dual Caster

DL-EFF-01B



• Central Brake Wheel



Back Rest



Leg Rest



Lie flat



Reverse Trendelenburg



Trendelenburg



Height Adjustment

Specification

Overall Size	2130*1100*400-710mm
Back Section up/down	0-82°(±5°)
Leg Section up/down	0-47°(±5°)
Reverse Trendelenburg	0-13°(±3°)
Trendelenburg	0-12°(±3°)
High to Low	400-710mm(±10mm)
Max Load	240kg

Configuration


☆ Bed Body	☆ Hand Remote Control
☆ ABS Guardrail	☆ ABS Head&Foot board

Optional configuration

☐ Mattress	☐ IV Pole
☐ OEM Headboard/Footboard	☐ IV Pole Prevision
☐ OEM Siderail	☐ Monkey Pull
☐ Dining Table	☐ Beside Cabinet
☐ Manual/Electric CPR	☐ Overbed Table
☐ Nurse Control Panel	☐ Backup Battery

Electric Hospital Bed

Three-Function Bed

DL-ETF-05


Back Rest



Leg Rest



Lie flat



Height Adjustment



Specification

Overall Size	2130*1100*395-720mm
Back Section up/down	0-82°(±5°)
Leg Section up/down	0-48°(±5°)
High to Low	395-720mm(±10mm)
Max Load	240kg


Configuration

☆ Bed Body	☆ Hand Remote Control
☆ ABS Guardrail	☆ Dual Caster
☆ ABS Head&Foot board	

Optional configuration

☐ Mattress	☐ IV Pole
☐ OEM Headboard/Footboard	☐ IV Pole Prevision
☐ OEM Siderail	☐ Monkey Pull
☐ Dining Table	☐ Beside Cabinet
☐ Manual/Electric CPR	☐ Overbed Table
☐ Nurse Control Panel	☐ Backup Battery

Electric Three-Function Hospital Bed



DL-ETF-01

Electric three function bed with Slat



DL-ETF-02

Electric three function bed with Overall punching



Specification

Overall Size	2130*990*400-700mm
Back Section up/down	0-75°(±5°)
Leg Section up/down	0-45°(±5°)
High to Low	400-700mm(±10mm)
Max Load	240kg


Configuration

- ☆ Bed Body
- ☆ ABS Head&Foot board
- ☆ Five pillar guardrail
- ☆ Hand Remote Control
- ☆ Dual Caster

Optional configuration

- | | | |
|--|--|---|
| ☐ Mattress | ☐ IV Pole | ☐ Monkey Pull |
| ☐ OEM Headboard/Footboard | ☐ IV Pole Prevision | ☐ Nurse Control Panel |
| ☐ OEM Siderail | ☐ Dining Table | ☐ Manual/Electric. CPR |
| ☐ Central Brake Wheel | ☐ Overbed Table | ☐ Backup Battery |
| ☐ Emergency Stop Button | ☐ Beside Cabinet | |

Electric Two-Function Hospital Bed



DL-EDF-01

Electric two function bed with Slat

Specification

Overall Size	2120*960*500mm
Back Section up/down	0-75°(±5°)
Leg Section up/down	0-45°(±5°)
Max Load	240kg



DL-EDF-02

Electric two function bed with Overall punching

Specification

Overall Size	2120*980*500mm
Back Section up/down	0-75°(±5°)
Leg Section up/down	0-45°(±5°)
Max Load	240kg



Configuration

☆ Bed Body	☆ Hand Remote Control
☆ ABS Head&Foot Board	☆ Dual Caster
☆ Five pillar guardrail	


Optional configuration

☐ Mattress	☐ IV Pole	☐ Overbed Table	☐ Nurse Control Panel	☐ Central Brake Wheel
☐ OEM Head/Foot board	☐ IV Pole Prevision	☐ Beside Cabinet	☐ Manual/Electric CPR	☐ Emergency Stop Button
☐ OEM Siderail	☐ Dining Table	☐ Monkey Pull	☐ Backup Battery	

Manual Hospital Bed

Five-Crank Bed

DL-FF-02



Back Rest



Leg Rest



Lie flat



Reverse Trendelenburg



Trendelenburg



Height Adjustment



Specification

Overall Size	2160*1110*470-700mm
Back Section up/down	0-75°(±5°)
Leg Section up/down	0-45°(±5°)
Reverse Trendelenburg	0-12°(±3°)
Trendelenburg	0-12°(±3°)
High to Low	470-700mm(±10mm)
Max Load	240kg

Configuration

☆ Bed Body	☆ Iron Crank
☆ ABS Guardrail	☆ Dual Caster
☆ ABS Head&Foot board	☆ Angle Indicator

Optional configuration

☐ ABS Crank	☐ IV Pole
☐ Mattress	☐ IV Pole Prevision
☐ OEM Headboard/Footboard	☐ Monkey Pull
☐ OEM Siderail	☐ Overbed Table
☐ Dining Table	☐ Beside Cabinet
☐ Central Brake Wheel	

Manual Hospital Bed

Two-Crank Bed With PP Panel Surface

DL-SY-13


Back Rest



Leg Rest



Lie Flat



Angle Indicator



Specification

Overall Size	2230*1090*530mm
Back Section up/down	0-70°(±5°)
Leg Section up/down	0-40°(±5°)
Max Load	240kg

Configuration

☆ Bed With PP panel surface	☆ ABS Crank
☆ Drop-Down PP Guardrail	☆ Single Caster
☆ PP Head&Foot Board	☆ Angle Indicator

Optional configuration

☐ Mattress	☐ IV Pole
☐ OEM Headboard/Footboard	☐ IV Pole Prevision
☐ OEM Siderail	☐ Monkey Pull
☐ Dining Table	☐ Overbed Table
☐ Central Brake Wheel	☐ Beside Cabinet

Manual Hospital Bed

Two-Crank Bed With Side Brake

DL-SY-11


Back Rest

Leg Rest



Back Rest



Leg Rest



Lie flat



Angle Indicator



Specification

Overall Size	2140*1090*500mm
Back Section up/down	0-80°(±5°)
Leg Section up/down	0-45°(±5°)
Max Load	240kg

Configuration

☆ Bed Body	☆ ABS Crank
☆ ABS Guardrail	☆ Side Brake Control System
☆ ABS Head&Foot board	☆ Angle Indicator

Optional configuration

☐ Mattress	☐ IV Pole
☐ OEM Headboard/Footboard	☐ IV Pole Prevision
☐ OEM Siderail	☐ Monkey Pull
☐ Dining Table	☐ Overbed Table
☐ Central Brake Wheel	☐ Beside Cabinet

Manual Hospital Bed

DL-DY-01

Manual one crank bed

► With Iron head/foot board

Size: 1980*900*500mm



DL-SY-01

Manual two crank bed

► With Iron head/foot board

Size: 1980*900*500mm



DL-DY-02

Manual one crank bed

► With stainless steel large head/foot board

Size: 1980*900*500mm



DL-SY-02

Manual two crank bed

► With stainless steel large head/foot board

Size: 1980*900*500mm



DL-DY-04

Manual one crank bed

► With stainless steel small head/foot board

Size: 1980*900*500mm



DL-SY-04

Manual two crank bed

► With stainless steel small head/foot board

Size: 1980*900*500mm



DL-PT-01

Plain bed

► With Iron head/foot board

Size: 1980*900*500mm



DL-PT-03


Plain bed

► With ABS head/foot board

Size: 2030*960*500mm



Manual Three-Crank Hospital Bed



DL-TF-01

Bed with Slat

Specification

Overall Size	2130*990*400-700mm
Back Section up/down	0-75°(±5°)
Leg Section up/down	0-45°(±5°)
High to Low	400-700mm(±10mm)
Max Load	240kg



DL-ATF-01

Bed with ABS Guaradrail

Specification

Overall Size	2130*1100*385-725mm
Back Section up/down	0-75°(±5°)
Leg Section up/down	0-45°(±5°)
High to Low	385-725mm(±10mm)
Max Load	240kg



DL-TF-02

Bed with Overall Punching

Specification

Overall Size	2130*990*400-700mm
Back Section up/down	0-75°(±5°)
Leg Section up/down	0-45°(±5°)
High to Low	400-700mm(±10mm)
Max Load	240kg



Optional configuration

- | | | | | | |
|-------------------------------------|--|--|--|---|--|
| ☐ Iron Crank | ☐ OEM Headboard/Footboard | ☐ IV Pole | ☐ Dining Table | ☐ Monkey Pull | ☐ Central Brake Wheel |
| ☐ Mattress | ☐ OEM Siderail | ☐ IV Pole Prevision | ☐ Overbed Table | ☐ Beside Cabinet | |

Manual Two-Crank Hospital Bed



DL-SY-07

Bed with ABS Guardrail

Configuration

- ☆ Bed Body
- ☆ ABS Guardrail
- ☆ ABS Head&Foot Board
- ☆ ABS Crank
- ☆ Single Caster

Specification

Overall Size	2130*1100*500mm
Back Section up/down	0-75°(±5°)
Leg Section up/down	0-45°(±5°)
Max Load	240kg



DL-SY-08

Bed with ABS Head&Foot board

Configuration

- ☆ Bed Body
- ☆ Five Pillar Guardrail
- ☆ ABS Head&Foot Board
- ☆ Iron Crank
- ☆ Single Caster

Specification

Overall Size	2030*960*500mm
Back Section up/down	0-75°(±5°)
Leg Section up/down	0-45°(±5°)
Max Load	240kg



Optional configuration

- | | | | | | |
|-----------------------------------|--|--|--|---|--|
| ☐ Crank | ☐ OEM Headboard/Footboard | ☐ IV Pole | ☐ Dining Table | ☐ Monkey Pull | ☐ Central Brake Wheel |
| ☐ Mattress | ☐ OEM Siderail | ☐ IV Pole Prevision | ☐ Overbed Table | ☐ Beside Cabinet | |

Manual Two-Crank Hospital Bed



DL-SY-06

Manual Two-Crank with Slat

Specification

Overall Size	2030*960*500mm
Back Section up/down	0-75°(±5°)
Leg Section up/down	0-45°(±5°)
Max Load	240kg



DL-SY-10

Manual Two-Crank with Overall punching

Specification

Overall Size	2120*980*500mm
Back Section up/down	0-75°(±5°)
Leg Section up/down	0-45°(±5°)
Max Load	240kg



DL-SY-12

Manual Two-Crank Hospital Bed Set

Specification

Overall Size	2030*960*500mm
Back Section up/down	0-80°(±5°)
Leg Section up/down	0-45°(±5°)
Max Load	240kg



Optional configuration

- | | | | | | |
|------------------------------------|--|--|--|---|--|
| ☐ ABS Crank | ☐ OEM Headboard/Footboard | ☐ IV Pole | ☐ Dining Table | ☐ Monkey Pull | ☐ Central Brake Wheel |
| ☐ Mattress | ☐ OEM Siderail | ☐ IV Pole Prevision | ☐ Overbed Table | ☐ Beside Cabinet | |

Manual One-Crank Hospital Bed



DL-DY-05

Bed with ABS Head&Foot Board

Specification

Overall Size	2030*960*500mm
Back Section up/down	0-75°(±5°)
Max Load	240kg



DL-DY-09

Bed with Slat

Specification

Overall Size	2030*960*500mm
Back Section up/down	0-75°(±5°)
Max Load	240kg



DL-DY-11

Bed with Overall Punching

Specification

Overall Size	2110*980*500mm
Back Section up/down	0-75°(±5°)
Max Load	240kg



DL-DY-12

Hospital Bed Set

Specification

Overall Size	2030*960*500mm
Back Section up/down	0-75°(±5°)
Max Load	240kg



Optional configuration

- | | | | | | |
|------------------------------------|--|--|--|---|--|
| ☐ ABS Crank | ☐ OEM Headboard/Footboard | ☐ IV Pole | ☐ Dining Table | ☐ Monkey Pull | ☐ Central Brake Wheel |
| ☐ Mattress | ☐ OEM Siderail | ☐ IV Pole Prevision | ☐ Overbed Table | ☐ Beside Cabinet | |




HEMOCARE BED

Discover Comfort and Care with Our Innovative Nursing Beds

Electric Homecare Bed

Wooden Five Function Rotating Nursing Bed

DL-EFF-05I



DL-EFF-05II



DL-EFF-05III



Specification

Overall Size	2130*970*505-820mm
Back Section up/down	0-85°(±5°)
Leg Section up/down	0-38°(±5°)
Reverse Trendelenburg	0-13°(±3°)
Trendelenburg	0-13°(±3°)
High to Low	505-820mm(±10mm)
Max Load	200kg
Minimum distance from wall during rotation 400mm	

Configuration

- ☆ Mattress
- ☆ Bed Body
- ☆ Wooden Head&Foot board
- ☆ Iron guardrail
- ☆ Hand Remote Control
- ☆ Dual Caster

Optional configuration

- | | | |
|--|--|--|
| ☐ Mattress | ☐ IV Pole | ☐ Monkey Pull |
| ☐ OEM Headboard/Footboard | ☐ IV Pole Prevision | ☐ Nurse Control Panel |
| ☐ OEM Siderail | ☐ Dining Table | ☐ Manual/Electric CPR |
| ☐ Central Brake Wheel | ☐ Overbed Table | ☐ Backup Battery |
| ☐ Emergency Stop Button | ☐ Beside Cabinet | |

Electric Homecare Bed

Five-Function Bed



DL-EFF-08

Specification

Overall Size	2160*1020*380-805mm
Back Section up/down	0-70°(±5°)
Leg Section up/down	0-40°(±5°)
Reverse Trendelenburg	0-12°(±3°)
Trendelenburg	0-12°(±3°)
High to Low	380-805mm(±10mm)
Max Load	200kg



DL-EFF-11

Specification

Overall Size	2150*1060*430-830mm
Back Section up/down	0-70°(±5°)
Leg Section up/down	0-40°(±5°)
Reverse Trendelenburg	0-12°(±3°)
Trendelenburg	0-12°(±3°)
High to Low	430-830mm(±10mm)
Max Load	200kg



Configuration

☆ Bed Body	☆ Hand Remote Control
☆ ABS Head&Foot Board	☆ Dual Caster
☆ Wooden guardrail	

Optional configuration

☐ Mattress	☐ IV Pole	☐ Overbed Table	☐ Nurse Control Panel	☐ Central Brake Wheel
☐ OEM Head/Foot board	☐ IV Pole Prevision	☐ Beside Cabinet	☐ Manual/Electric CPR	☐ Emergency Stop Button
☐ OEM Siderail	☐ Dining Table	☐ Monkey Pull	☐ Backup Battery	

Electric Homecare Bed

Three-Function Bed

DL-ETF-603



Back Rest



Leg Rest



Lie flat



Height Adjustment



Specification

Overall Size	2080*990*390-710mm
Back Section up/down	0-75°(±5°)
Leg Section up/down	0-45°(±5°)
High to Low	390-710mm(±10mm)
Max Load	240kg

Configuration

☆ Bed Body	☆ Hand Remote Control
☆ Iron Guardrail	☆ Dual Caster
☆ Wooden Head&Foot board	

Optional configuration

☐ Mattress	☐ IV Pole
☐ OEM Headboard/Footboard	☐ IV Pole Prevision
☐ OEM Siderail	☐ Monkey Pull
☐ Dining Table	☐ Beside Cabinet
☐ Manual/Electric CPR	☐ Overbed Table
☐ Nurse Control Panel	☐ Backup Battery

Manual Wooden Homecare Bed

620

Size: 2030*1025*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



622

Size: 2030*1025*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



L15

Size: 2030*1030*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



H50

Size: 2030*1025*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



H60

Size: 2030*1025*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



H80

Size: 2030*1025*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



H303

Size: 2030*1025*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



H606

Size: 2030*1025*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



Manual Wooden Homecare Bed

610

Size: 1980*1010*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



603

Size: 1980*1010*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



605

Size: 1980*960*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



604

Size: 1980*1010*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



608

Size: 1980*1010*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



604Curve

Size: 1980*1010*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



A12

Size: 1995*1020*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



611

Size: 1980*1010*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



Manual Wooden Homecare Bed

A01

Size: 1980*990*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



A08

Size: 1980*1010*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



A06

Size: 1980*1010*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



A05

Size: 1980*990*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



A17

Size: 1980*990*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



A16

Size: 1980*1010*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



A13

Size: 1980*990*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



A07

Size: 1980*990*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



Manual Wooden Homecare Bed

A13

Size: 1980*1010*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



A18

Size: 1980*1010*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



A19

Size: 1980*1010*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



618

Size: 2000*1025*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



A22

Size: 2030*1025*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



H30

Size: 2030*1025*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



626

Size: 1995*1020*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



A20

Size: 2030*1025*500mm

Optional accessories:

☐ Size ☐ Color ☐ Material



Electric&Manual Homecare Nursing Bed

Full-Curved/Anti-skid/Anti-slip

DL-DHC-01

ABS Head&Foot board



Back Rest



Leg Up



Leg Down



anti-skid&anti-slip



Left/Right Turning

DL-DHC-02

Wooden Head&Foot board



Back Rest



Leg Up



Leg Down



anti-skid&anti-slip



Left/Right Turning

Specification

Overall Size	2120*960*470-700mm
Back Rest	0-75°(±5°)
Leg up	0-20°(±5°)
Leg Down	0-60°(±3°)
Left & Right Turning	0-75°(±3°)
Max Load	240kg

Configuration

☆ Bed Body	☆ IV Pole
☆ Mattress	☆ Dining Table
☆ Five pillar guardrail	☆ Washing hair pot
☆ Head&Foot board	☆ Toilet pot
☆ Dual Caster	

Optional configuration

☐ Mattress	☐ Monkey Pull
☐ OEM Headboard/Footboard	☐ Dining Table
☐ OEM Siderail	☐ Overbed Table
☐ Central Brake Wheel	☐ Beside Cabinet
☐ Manual&Electric CPR	
☐ Emergency Stop Button	

Manual Homecare Nursing Bed

DL-FQ-A01

Full-Curved Bed with ABS Head&Foot Board

Configuration

- ☆ Bed Body
- ☆ Mattress
- ☆ Five Pillar Guardrail
- ☆ ABS Head&Foot Board
- ☆ IV Pole
- ☆ Dining Table
- ☆ Iron Crank
- ☆ Single Caster

Specification

Overall Size	2120*960*500mm
Back Rest	0-75°(±5°)
Leg up	0-20°(±5°)
Leg Down	0-60°(±3°)
Left & Right Turning	0-75°(±3°)
Max Load	240kg



DL-FZ-A01

Middle-Curved Bed with ABS Head&Foot Board

Configuration

- ☆ Bed Body
- ☆ Mattress
- ☆ Five Pillar Guardrail
- ☆ ABS Head&Foot Board
- ☆ IV Pole
- ☆ Dining Table
- ☆ Iron Crank
- ☆ Single Caster

Specification

Overall Size	2120*960*500mm
Back Rest	0-75°(±5°)
Leg up	0-20°(±5°)
Leg Down	0-60°(±3°)
Left & Right Turning	0-75°(±3°)
Max Load	240kg



Optional configuration

- | | | | | | |
|------------------------------------|--|--|--|---|--|
| ☐ ABS Crank | ☐ OEM Headboard/Footboard | ☐ IV Pole | ☐ Dining Table | ☐ Monkey Pull | ☐ Central Brake Wheel |
| ☐ Mattress | ☐ OEM Siderail | ☐ IV Pole Prevision | ☐ Overbed Table | ☐ Beside Cabinet | |

Manual Homecare Nursing Bed

Middle-Curved Bed

DL-FZ-01

Specification

Overall Size: 2120*960*500mm	Max Load : 240kg
Back Rest: 0-75°(±5°)	Leg Down: 0-60°(±5°)
Leg up: 0-20°(±3°)	Left&Right Turning: 0-75°(±3°)

Configuration

- ☆ Bed Body
- ☆ Mattress
- ☆ Five stand guardrail
- ☆ ABS Head&Foot board
- ☆ Single caster
- ☆ IV Pole
- ☆ ABS Dining Table
- ☆ Washing hair pot
- ☆ Toilet pot



DL-FZ-02

Anti-skid Specification

Overall Size: 2120*960*500mm	Max Load : 240kg
Back Rest: 0-75°(±5°)	Leg Down: 0-60°(±5°)
Leg up: 0-20°(±3°)	Left&Right Turning: 0-75°(±3°)

Configuration

- ☆ Bed Body
- ☆ Mattress
- ☆ Five stand guardrail
- ☆ ABS Head&Foot board
- ☆ Single caster
- ☆ IV Pole
- ☆ ABS Dining Table
- ☆ Washing hair pot
- ☆ Toilet pot



DL-FZ-01(WT)

Specification

Overall Size: 2120*960*500mm	Max Load : 240kg
Back Rest: 0-75°(±5°)	Leg Down: 0-60°(±5°)
Leg up: 0-20°(±3°)	Left&Right Turning: 0-75°(±3°)

Configuration

- ☆ Bed Body
- ☆ Mattress
- ☆ Five stand guardrail
- ☆ ABS Head&Foot board
- ☆ Single caster
- ☆ IV Pole
- ☆ ABS Dining Table
- ☆ Washing hair pot
- ☆ Toilet pot
- ☆ Monkey Pull



DL-FZ-01(RT)

Anti-skid/Anti-slip Specification

Overall Size: 2120*960*500mm	Max Load : 240kg
Back Rest: 0-75°(±5°)	Leg Down: 0-60°(±5°)
Leg up: 0-20°(±3°)	Left&Right Turning: 0-75°(±3°)

Configuration

- ☆ Bed Body
- ☆ Mattress
- ☆ Four stand guardrail
- ☆ ABS Head&Foot board
- ☆ Single caster
- ☆ IV Pole
- ☆ ABS Dining Table
- ☆ Washing hair pot
- ☆ Toilet pot
- ☆ Monkey Pull



Manual Homecare Nursing Bed

Full-Curved Bed

DL-FQ-01

Specification

Overall Size: 2120*960*500mm	Max Load : 240kg
Back Rest: 0-75°(±5°)	Leg Down: 0-60°(±5°)
Leg up: 0-20°(±3°)	Left&Right Turning: 0-75°(±3°)

Configuration

- ☆ Bed Body
- ☆ Mattress
- ☆ Five stand guardrail
- ☆ ABS Head&Foot board
- ☆ Single caster
- ☆ IV Pole
- ☆ ABS Dining Table
- ☆ Washing hair pot
- ☆ Toilet pot



DL-FQ-02(W)

Anti-skid/Anti-slip Specification

Overall Size: 2120*960*500mm	Max Load : 240kg
Back Rest: 0-75°(±5°)	Leg Down: 0-60°(±5°)
Leg up: 0-20°(±3°)	Left&Right Turning: 0-75°(±3°)

Configuration

- ☆ Bed Body
- ☆ Mattress
- ☆ Five stand guardrail
- ☆ ABS Head&Foot board
- ☆ Single caster
- ☆ IV Pole
- ☆ ABS Dining Table
- ☆ Washing hair pot
- ☆ Toilet pot
- ☆ Monkey Pull



DL-FQ-02(RT)

Anti-skid/Anti-slip Specification

Overall Size: 2120*960*500mm	Max Load : 240kg
Back Rest: 0-75°(±5°)	Leg Down: 0-60°(±5°)
Leg up: 0-20°(±3°)	Left&Right Turning: 0-75°(±3°)

Configuration

- ☆ Bed Body
- ☆ Mattress
- ☆ Four stand guardrail
- ☆ ABS Head&Foot board
- ☆ Single caster
- ☆ IV Pole
- ☆ ABS Dining Table
- ☆ Washing hair pot
- ☆ Toilet pot
- ☆ Monkey Pull



Manual Child Bed

DL-CB-01

Stainless Steel Single Crank Child Bed

Configuration

Overall Size	1270*770*550mm
Back Rest	0-78°(±5°)
Max Load	150 kg



DL-CB-02

Stainless Steel Two Crank Child Bed

Configuration

Overall Size	1840*880*550mm
Back Rest	0-80°(±5°)
Leg up	0-43°(±5°)
Max Load	150 kg



DL-CB-03

ABS Two Crank Child Bed

Configuration

Overall Size	1940*930*620mm
Back Rest	0-80°(±5°)
Leg up	0-43°(±5°)
Max Load	150 kg



Baby Cot

CBT-8502-FS

ABS Hydraulic Baby Cot

Configuration

Dimensions	850/890 *470mm
Overall Lift Range	870-1040 mm
Mattress	5cm Foam
Front and Rear Tilt	9°(±1°)
Available Colors	Pink, Blue



SHD-501

Baby Cot

Configuration

Dimensions	810*460*880 mm
Mattress	3.5cm Foam
Front and Rear Tilt	12°
Available Colors	Pink, Blue Yellow, White



WK-BC01

ABS Hydraulic baby Cot

Configuration

Dimensions	880*510mm
Overall Lift Range	800-965 mm
Mattress	4cm Foam
Front and Rear Tilt	15°
Available Colors	Pink, Blue, Green



Air Mattress

DL01

Classic style air mattress

Overall Size: 1950*900mm



DL02

Type air mattress with microporosity

Overall Size: 1950*900mm



C01

Ball shaped air mattress

Overall Size: 2300*1000mm



DL04

Air mattress(Defecation hole)

Overall Size: 1950*900mm



DL05

Air mattress(Urinate hole)

Overall Size: 1950*900mm



DL06

For Full-curved bed

Overall Size: 1950*900mm



DL07

For Middle-curved bed

Overall Size: 1950*900mm



Manual Wheelchair

SYIV100-DL-1

Folded Size	70*70*25cm
Width	58cm
Height	90cm
Length	80cm
Armrest height	64cm
Seat width	43cm
Seat height	48cm
Seat depth	37cm
Back height	40cm
Front tyre	6 inches
Rear tyre	16 inches
Net weight	11kg
Gross weight	12kg
Max load	100kg



SYIV100-DL-2

Folded Size	92*91*29cm
Width	68cm
Height	91cm
Length	103cm
Armrest height	72cm
Seat width	45cm
Seat height	48cm
Seat depth	42cm
Back height	41cm
Front tyre	8 inches
Rear tyre	24 inches
Net weight	17kg
Gross weight	20kg
Max load	100kg



SYIV100-DL-3

Folded Size	93*87*26cm
Width	64cm
Height	87cm
Length	103cm
Armrest height	77cm
Seat width	43cm
Seat height	48cm
Seat depth	42cm
Back height	38cm
Front tyre	8 inches
Rear tyre	24 inches
Net weight	14.6kg
Gross weight	17.6kg
Max load	100kg



SYIV100-DL-4

Folded Size	94*91*25cm
Width	68cm
Height	91cm
Length	103cm
Armrest height	71cm
Seat width	47cm
Seat height	48cm
Seat depth	43cm
Back height	42cm
Front tyre	8 inches
Rear tyre	24 inches
Net weight	18.4kg
Gross weight	21.4kg
Max load	100kg



Manual Wheelchair

SYIV100-DL-5

Folded Size	70*53*28cm
Width	53cm
Height	70cm
Length	83cm
Seat width	40cm
Seat depth	38cm
Back height	35cm
Front tyre	6 inches
Rear tyre	12 inches
Net weight	8.5kg
Max load	100kg



SYIV100-DL-8

Folded Size	97*86*27cm
Width	68cm
Height	86cm
Length	97cm
Armrest height	72cm
Seat width	46cm
Seat height	47cm
Seat depth	42cm
Back height	42cm
Front tyre	7 inches
Rear tyre	24 inches
Net weight	15kg
Gross weight	16kg
Max load	100kg



SYIV100-DL-25

Folded Size	97*86*27cm
Width	68cm
Height	86cm
Length	97cm
Armrest height	72cm
Seat width	46cm
Seat height	45cm
Seat depth	42cm
Back height	42cm
Front tyre	7 inches
Rear tyre	24 inches
Net weight	14kg
Gross weight	15kg
Max load	100kg



SYIV100-DL-26

Folded Size	97*86*27cm
Width	68cm
Height	86cm
Length	97cm
Armrest height	72cm
Seat width	46cm
Seat height	45cm
Seat depth	42cm
Back height	42cm
Front tyre	7 inches
Rear tyre	24 inches
Net weight	14kg
Gross weight	15kg
Max load	100kg



Manual Wheelchair

SYIV100-DL-9

Folded Size	78*69*29cm
Width	68cm
Height	91cm
Length	105cm
Armrest height	68cm
Seat width	45cm
Seat height	48cm
Seat depth	43cm
Back height	37cm
Front tyre	7 inches
Rear tyre	24 inches
Net weight	13.5kg
Gross weight	16.5kg
Max load	100kg



SYIV100-DL-10

Folded Size	78*69*29cm
Width	68cm
Height	91cm
Length	105cm
Armrest height	68cm
Seat width	45cm
Seat height	48cm
Seat depth	43cm
Back height	37cm
Front tyre	7 inches
Rear tyre	24 inches
Net weight	13.5kg
Gross weight	16.5kg
Max load	100kg



SYIV100-DL-11

Folded Size	73*70*28cm
Width	62cm
Height	85cm
Length	99cm
Armrest height	66cm
Seat width	45cm
Seat height	47cm
Seat depth	39cm
Back height	38cm
Front tyre	6 inches
Rear tyre	20 inches
Net weight	14kg
Gross weight	17kg
Max load	100kg



SYIV100-DL-12

Folded Size	73*70*29cm
Width	61cm
Height	95cm
Length	85cm
Armrest height	67cm
Seat width	44cm
Seat height	49cm
Seat depth	40cm
Back height	41cm
Front tyre	6 inches
Rear tyre	16 inches
Net weight	12kg
Gross weight	15kg
Max load	100kg



Manual Wheelchair

SYIV100-DL-13

Folded Size	95*70*30cm
Width	60cm
Height	93cm
Length	98cm
Armrest height	70cm
Seat width	44cm
Seat height	52cm
Seat depth	44cm
Back height	41cm
Front tyre	8寸
Rear tyre	10寸
Net weight	25kg
Gross weight	30kg
Max load	100kg
Battery	10A
Battery power	250W



SYIV100-DL-14

Folded Size	80X77X37cm
Width	63cm
Height	94cm
Length	110cm
Armrest height	77cm
Seat width	45cm
Seat height	51cm
Seat depth	45cm
Back height	43cm
Front tyre	8寸
Rear tyre	16寸
Net weight	35.5kg
Gross weight	40.5kg
Max load	100kg
Battery	12A(optional20A)
Battery power	250W



SYIV100-DL-15

Folded Size	80X77X37cm
Width	63cm
Height	131cm
Length	113cm
Armrest height	77cm
Seat width	45cm
Seat height	51cm
Seat depth	45cm
Back height	83cm
Front tyre	8寸
Rear tyre	10寸
Net weight	38.5kg
Gross weight	43.5kg
Max load	100kg
Battery	12A(optional20A)
Battery power	250W



Accessories Serise

DL-E1



DL-E2



DL-E3



DL-E4



DL-E5



DL-E6



DL-E7



DL-E8



Accessories Serise

DL-E9**DL-E10****DL-E11****DL-E12****DL-E13****DL-E14****DL-E15****DL-E16**

Accessories Serise


DL-ABL-01

Back Rest&Leg Up Function

Overall Size: 1920*900*800mm

Back Rest: 0-75°(±2°)

Leg Up: 0-45°(±2°)



DL-ABL-02


Back Pressure Relief Design

Overall Size: 1800-2000*840*65mm

Back Rest: 0-79°(±2°)

Leg Up: 0-32°(±2°)

Backward: back0-60° Leg 0-35°



DL-ABL-03

Back Rest Function

Overall Size: 810*750*125mm

Mattress Size: 1200*750*40mm

Back Rest: 7-70°(±2°)

Max Load: 150kg



DL-P13

Mattress



DL-P14

Five stand guardrail



DL-P15

ABS head/foot board



DL-P16

Beside Cabinet

Small Size: 450*420*740mm

Big Size: 480*480*760mm



DL-P20

Castors



Dual Caster

Single caster

DL-P22

Dining table



ABS telescopic dining table

Wooden Dining Table

ABS Dining Table

DL-P23

Training Stand Monkey Pull



DL-P25

Training Stand Monkey Pul



DL-P26

Double Layered Footstool



DL-OT-01

Overbed Table



Mobile IV Stand



Model C-1	
Material	stainless steel
Base	Stainless steel pipe ABS plastic
On the tube	phi 19 mm
In the tube	phi 25 mm
The tube	phi 32 mm
Adjust way	Rotation
Height	2 meters
Hook	4
Packing	5/box
Weight	21.8 kg
Gross weight	26.2kg
Packing size	93*54*25(cm)



Model C-2	
Material	Stainless steel
Base	Stainless steel pipe ABS plastic
On the tube	Phi 19 mm
The tube	Phi 25 mm
Adjust way	Rotation
Height	2 meters
Hook	4
Packing	5/box
Weight	21.8 kg
Gross weight	26.2kg
Packing size	93*54*25(cm)



Model C-3	
Material	Stainless steel
Base	Stainless steel pipe
On the tube	Phi 16 mm
The tube	Phi 25 mm
Adjust way	Knob
Height	2 meters
Hook	4
Packing	5/box
Weight	15.8 kg
Gross weight	17.8kg
Packing size	115*36*16(cm)



Model C-4	
Material	Stainless steel
Base	Stainless steel pipe
On the tube	Phi 16 mm
The tube	Phi 32 mm
Adjust way	Rotation
Height	2 meters
Hook	4
Packing	5/box
Weight	21.4 kg
Gross weight	27.1kg
Packing size	123*54*22(cm)



Model C-7	
Material	Stainless steel
Base	Stainless steel pipe
On the tube	Phi 19 mm
The tube	Phi 32 mm
Adjust way	Rotation
Height	2 meters
Hook	4
Packing	5/box
Weight	18.7 kg
Gross weight	24.4kg
Packing size	123*54*22(cm)



Model C-8	
Material	Stainless steel
Base	Stainless steel pipe
On the tube	Phi 19 mm
The tube	Phi 25mm
Adjust way	Rotation
Height	2 meters
Hook	4
Packing	8/box
Weight	28.5 kg
Gross weight	31.3kg
Packing size	122*40*22(cm)



Model C-9	
Material	Stainless steel
Base	Cast iron
On the tube	Phi 19 mm
The tube	Phi 25mm
Adjust way	Rotation
Height	2 meters
Hook	4
Packing	5/box
Weight	44kg
Gross weight	47kg
Packing size	122*40*22(cm)

江苏中佰纳米新材料科技有限公司

Jiangsu Zhongbai Nano New Material Technology Co., Ltd

A: No. 11 Qingjiang Road, Xinbei District, Changzhou City, Jiangsu Province
T: 400-179-3188
F: 0519-8510 2979
E: postmaster@zbnami.com
W: www.zbnami.com

